

### Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008 Revision date: 06/11/2015

Version: 3.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Mixture Product Name MED-1131

Synonyms Adhesive Silicone

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture For bonding silicone elastomers to each other and some synthetics

or metals. For professional use only.

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013

USA

(805) 684-8780 ehs@nusil.com www.nusil.com

#### 1.4. Emergency telephone number

: 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and Emergency

number

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eve Irrit. 2 H319 Skin Sens. 1 H317 STOT RE 2 H373

Full text of hazard classes and H-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) Warnina

2-Butanone, O,O',O"-(methylsilylidyne)trioxime, N-[3-Hazardous ingredients

(TrimethyoxysilyI)propyl]-1,2-ethanediamine, Dibutyltin dilaurate

Hazard statements (CLP) H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H373 - May cause damage to organs (cardiovascular system. haematopoietic system, thymus) through prolonged or repeated

exposure

P260 - Do not breathe vapours, mist, spray Precautionary statements (CLP)

P264 - Wash hands, forearms, exposed areas thoroughly after handling

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear eye protection, protective clothing, protective gloves P302+P352 - IF ON SKIN: Wash with plenty of water

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsina

P314 - Get medical advice/attention if you feel unwell P321 - Specific treatment (see SECTION 4 on this SDS) P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations

#### 2.3. Other Hazards

Other hazards not contributing to the classification

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Butanone, O,O',O''- (methylsilylidyne)trioxime	(CAS No) 22984-54-9 (EC no) 245-366-4	10 - 15	Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT RE 2, H373
N-[3-(TrimethyoxysilyI)propyI]-1,2- ethanediamine	(CAS No) 1760-24-3 (EC no) 217-164-6	< 1	Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318 Skin Sens. 1, H317
Dibutyltin dilaurate	(CAS No) 77-58-7 (EC no) 201-039-8	0,22	Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Muta. 2, H341 Repr. 1B, H360 STOT SE 1, H370 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of First Aid Measures

First-aid measures general Never give anything by mouth to an unconscious person. If you feel

unwell, seek medical advice (show the label if possible).

First-aid measures after inhalation Remove to fresh air and keep at rest in a position comfortable for

> breathing. Obtain medical attention if breathing difficulty persists. Rinse immediately with plenty of water. Obtain medical attention if

First-aid measures after skin

irritation develops or persists. contact

Rinse cautiously with water for at least 15 minutes. Remove contact First-aid measures after eye contact

lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

First-aid measures after ingestion Do NOT induce vomiting. Rinse mouth. Immediately call a POISON

CENTER or doctor/physician.

#### 4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Causes serious eve irritation. May cause an alleraic skin reaction. May Symptoms/injuries

cause damage to organs through prolonged or repeated exposure.

Symptoms/injuries after inhalation May cause respiratory irritation.

Symptoms/injuries after skin May cause an allergic skin reaction. Redness. Irritation.

contact

Symptoms/injuries after eye

contact

Symptoms/injuries after ingestion

Chronic symptoms

Causes serious eye irritation. Redness, pain, swelling, itching, burning,

tearing, and blurred vision.

Ingestion is likely to be harmful or have adverse effects. May cause damage to organs (cardiovascular system,

haematopoietic system, thymus) through prolonged or repeated

exposure.

#### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

# **SECTION 5: Firefighting measures**

5.1. Extinguishing Media

Suitable extinguishing media Use extinguishing media appropriate for surrounding fire.

Do not use a heavy water stream. Use of heavy stream of water may Unsuitable extinguishing media

spread fire. Application of water stream to hot product may cause

frothing and increase fire intensity.

5.2. Special Hazards Arising From the Substance or Mixture

Fire hazard Not considered flammable but may burn at high temperatures.

Explosion hazard Product is not explosive.

Hazardous reactions will not occur under normal conditions. Reactivity

5.3. Advice for firefighters

Precautionary measures fire Exercise caution when fighting any chemical fire. Firefighting instructions Use water spray or fog for cooling exposed containers.

Protection during firefighting Do not enter fire area without proper protective equipment, including

respiratory protection.

Other information Refer to Section 9 for flammability properties.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapor,

mist, spray).

#### 6.1.1. For non-emergency personnel

Protective equipment Use appropriate personal protection equipment (PPE).

#### Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

Emergency procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Equip cleanup crew with proper protection.

Emergency procedures Stop leak if safe to do so. Eliminate ignition sources. Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment Contain any spills with dikes or absorbents to prevent migration and

entry into sewers or streams.

Methods for cleaning up Clear up spills immediately and dispose of waste safely. Spills should

be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a

spill.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Hygiene measures Handle in accordance with good industrial hygiene and safety

procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures Comply with applicable regulations.

Storage conditions Store in a dry, cool and well-ventilated place. Keep container closed

when not in use. Keep/Store away from direct sunlight, extremely high

or low temperatures and incompatible materials.

Incompatible products Strong acids. Strong bases. Strong oxidizers.

#### 7.3. Specific end use(s)

For bonding silicone elastomers to each other and some synthetics or metals. For professional use only..

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Tin organic compounds (RR-00042-0)		
Austria	MAK (mg/m³)	0,1 mg/m³ (except tri-n-ButyItin compounds-inhalable fraction)
Austria	MAK Short time value (mg/m³)	0,2 mg/m³ (except tri-n-ButyItin compounds-inhalable fraction)
Austria	OEL chemical category (AT)	Skin notation except Tri-n-butyltin compounds
Belgium	Limit value (mg/m³)	0,1 mg/m³
Belgium	Short time value (mg/m³)	0,2 mg/m³
Belgium	OEL chemical category (BE)	Skin
Bulgaria	OEL TWA (mg/m³)	0,1 mg/m³
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	0,1 mg/m³ (except Cyhexatin)
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m³)	0,2 mg/m³ (except Cyhexatin)
Croatia	OEL chemical category (HR)	Skin notation except Cyhexatin
France	VLE (mg/m³)	0,2 mg/m³
France	VME (mg/m³)	0,1 mg/m³

Safety Data Sheet According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

Tin organic compounds	T T	
Greece	OEL TWA (mg/m³)	0,1 mg/m³
Greece	OEL STEL (mg/m³)	0,2 mg/m³
Greece	OEL chemical category (GR)	skin - potential for cutaneous absorption
USA ACGIH	ACGIH TWA (mg/m³)	0,1 mg/m³
USA ACGIH	ACGIH STEL (mg/m³)	0,2 mg/m³
Spain	VLA-ED (mg/m³)	0,1 mg/m³
Spain	VLA-EC (mg/m³)	0,2 mg/m³
Spain	OEL chemical category (ES)	skin - potential for cutaneous exposu
Switzerland	VLE (mg/m³)	0,2 mg/m³ (inhalable dust)
Switzerland	VME (mg/m³)	0,1 mg/m³ (inhalable dust)
Switzerland	OEL chemical category (CH)	Skin notation
United Kingdom	WEL TWA (mg/m³)	0,1 mg/m³ (except Cyhexatin)
United Kingdom	WEL STEL (mg/m³)	0,2 mg/m³ (except Cyhexatin)
United Kingdom	WEL chemical category	Potential for cutaneous absorption except Cyhexatin
Czech Republic	Expoziční limity (PEL) (mg/m³)	0,1 mg/m³
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m³ (except Tri-n-butyItin compounds)
Estonia	OEL TWA (mg/m³)	0,1 mg/m³
Estonia	OEL STEL (mg/m³)	0,2 mg/m³
Estonia	OEL chemical category (ET)	Skin notation
Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m³
Finland	HTP-arvo (15 min)	0,3 mg/m³
Finland	OEL chemical category (FI)	Potential for cutaneous absorption
Hungary	AK-érték	0,1 mg/m³
Hungary	CK-érték	0,4 mg/m³
Hungary	OEL chemical category (HU)	Potential for cutaneous absorption
Ireland	OEL (8 hours ref) (mg/m³)	0,1 mg/m³
Ireland	OEL (15 min ref) (mg/m3)	0,2 mg/m³
Lithuania	IPRV (mg/m³)	0,1 mg/m³
Lithuania	TPRV (mg/m³)	0,2 mg/m³
Lithuania	OEL chemical category (LT)	Skin notation
Norway	Grenseverdier (AN) (mg/m³)	0,1 mg/m³
Norway	Grenseverdier (Korttidsverdi)	
	(mg/m3)	0,1 mg/m³
Norway	OEL chemical category (NO)	Skin notation
Romania	OEL TWA (mg/m³)	0,05 mg/m³
Romania	OEL STEL (mg/m³)	0,15 mg/m³
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³
Slovakia	NPHV (Hraničná) (mg/m³)	0,2 mg/m³
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m³)	0,1 mg/m³ (inhalable fraction)
Slovenia	OEL STEL (mg/m³)	0,4 mg/m³ (inhalable fraction)
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³ (total dust)
Sweden	kortidsvärde (KTV) (mg/m³)	0,2 mg/m³ (total dust)

#### Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

Tin organic compounds (RR-00042-0)		
Sweden	OEL chemical category (SE)	Skin notation
Portugal	OEL TWA (mg/m³)	0,1 mg/m³
Portugal	OEL STEL (mg/m³)	0,2 mg/m³
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure

8.2. Exposure controls

Emergency eye wash fountains and safety showers should be

available in the immediate vicinity of any potential exposure. Ensure

all national/local regulations are observed.

Personal protective equipment Protective goggles. Gloves. Protective clothing.







Materials for protective clothing Chemically resistant materials and fabrics.

Hand protection Wear chemically resistant protective gloves.

Eye protection Chemical goggles or safety glasses. Skin and body protection Wear suitable protective clothing.

Respiratory protection Use an approved respirator or self-contained breathing apparatus

whenever exposure may exceed established Occupational Exposure

Do not allow the product to be released into the environment.

Limits.

Environmental exposure controls

**Explosive** properties

Oxidising properties

Consumer exposure controls

Other information

Do not eat, drink or smoke during use.

When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liauid Colour Translucent Odour Characteristic Odour threshold No data available На No data available Relative evaporation rate (butylacetate=1) : No data available Melting point No data available Freezing point : No data available Boiling point : No data available Flash point > 135 °C (275 °F) Self ignition temperature : No data available No data available Decomposition temperature Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative Density : 1,1 (water=1) Solubility No data available Log Pow : No data available Log Kow : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic

: No data available

: No data available

#### Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

Explosive limits : Not applicable

9.2. Other information

VOC content < 1 %

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Ignition sources. Incompatible materials.

#### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

#### 10.6. Hazardous decomposition products

Carbon oxides (CO, CO<sub>2</sub>). Silicon oxides.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity Not classified

•		
2-Butanone, O,O',O"-(methylsilylidyne)trioxime (22984-54-9)		
LD50 oral rat	2463 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
N-[3-(Trimethyoxysilyl)propyl]-1,2-	ethanediamine (1760-24-3)	
LD50 oral rat	2295 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 1,49 mg/l/4h	
Dibutyltin dilaurate (77-58-7)		
LD50 oral	175 mg/kg	
LD50 dermal rat	> 2 g/kg	

Skin corrosion/irritation Not classified

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

Not classified

Not classified

Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated : May cause damage to organs (cardiovascular exposure) : system, haematopoietic system, thymus) through

prolonged or repeated exposure.

Aspiration hazard Not classified

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

#### Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

2-Butanone, O,O',O"-(methylsilylidyne)trioxime (22984-54-9)		
EC50 Daphnia 1	120 mg/l (Exposure time: 48h - Species: Daphnia magna)	
N-[3-(Trimethyoxysilyl)propyl]-1,2-ethanediamine (1760-24-3)		
LC50 fish 1	597 mg/l (Species: Danio rerio)	
EC50 Daphnia 1	81 mg/l	
ErC50 (algae)	8,8 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata)	
NOEC chronic fish	344 mg/l	
NOEC chronic crustacea	35 mg/l	
NOEC chronic algae	3,1 mg/l (Pseudokirchnerella subcapitata Exposure time: 96h)	
Dibutyltin dilaurate (77-58-7)		
EC50 Daphnia 1	0,463 mg/l (Daphnia magna)	

#### 12.2. Persistence and degradability

MED-1131	•
Persistence and degradability	Not established.
Dibutyltin dilaurate (77-58-7)	
Persistence and degradability	Not readily biodegradable.

#### 12.3. Bioaccumulative potential

MED-1131	
Bioaccumulative potential	Not established.
Dibutyltin dilaurate (77-58-7)	
Log Pow	4,44

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Other information Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste disposal recommendations Dispose of waste material in accordance with all local, regional,

national, and international regulations.

Ecology - waste materials Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

Not regulated for transport

#### 14.2. UN proper shipping name

Not applicable

#### 14.3. Transport hazard class(es)

Not applicable

#### 14.4. Packing group

Not applicable

#### 14.5. Environmental hazards

Other information No supplementary information available.

#### Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

#### 14.6. Special precautions for user

#### 14.6.1. Overland transport

No additional information available

#### 14.6.2. Transport by sea

No additional information available

#### 14.6.3. Air transport

No additional information available

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances VOC content < 1 %

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

#### Indication of changes:

Section	Section Header	Change	Date Changed
1.3	Details of the supplier of the safety data sheet	Modified	06/11/2015
2	Hazards identification	Removed DSD/DPD information.	06/11/2015
2.3	Other Hazards	Modified	06/11/2015
3	Composition/information on ingredients	New components replaced old components. Removed not classified components and components below cutoffs. Removed DSD/DPD information.	06/11/2015
15.1.1	EU-Regulations	Modified	06/11/2015

Revision date 06/11/2015

Data sources According to regulation (EU) No. 2015/830 and regulation (EC) No.

1272/2008

#### Full text of H- and EUH-statements:

,,,	TOXI OTTI ANA EGIT STATOTHOMS.				
	Acute Tox. 4 (Inhalation:dust,mist)  Acute toxicity (inhalation:dust,mist) Category 4				
	Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard,			
		Category 1			
	Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic			
		Hazard, Category 1			
	Eye Dam. 1	Serious eye damage/eye irritation, Category 1			
	Eye Irrit. 2 Serious eye damage/eye irritation, Category 2				
	Muta. 2	Germ cell mutagenicity, Category 2			

Safety Data Sheet According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

Repr. 1B	Reproductive toxicity, Category 1B	
Skin Corr. 1C	Skin corrosion/irritation, Category 1C	
Skin Sens. 1	Sensitisation — Skin, Category 1	
Skin Sens. 1B	Sensitisation — Skin, category 1B	
STOT RE 1	Specific target organ toxicity — Repeated exposure,	
	Category 1	
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2	
STOT SE 1	Specific target organ toxicity — single exposure, Category 1	
H314	Causes severe skin burns and eye damage	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	
H341	Suspected of causing genetic defects	
H360	May damage fertility or the unborn child	
H370	Causes damage to organs	
H372	Causes damage to organs through prolonged or repeated exposure	
H373	May cause damage to organs through prolonged or repeated exposure	
H400	Very toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	

Nusil EU GHS SDS

We believe that the information contained herein is current as of the date of this Safety Data Sheet, and is offered in good faith. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of NuSil Technology, it is the user's obligation to determine the conditions of safe use of the product.



# Silicone Sales & Services UK - Ireland - Benelux

© 2020 - Polymer Systems Technology Limited™ Unit 2. Network 4. Cressex Business Park, Lincoln Road, High Wycombe, Bucks. HP12 3RF

tel: +44 (0) 1494 446610

web: https://www.silicone-polymers.com

email: sales@silicone-polymers.co.uk

