

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 13/05/2019 Date of issue: 08/01/2014

Version: 3.0

SECTION 1: Identification of the Substance/mixture and of the Company/Undertaking

Product Identifier 1.1.

Product form Mixture Product Name MED10-6655

Synonyms Fluorosilicone Dispersion

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

1.2.1. Relevant Identified Uses

Use of the Substance/Mixture For professional use only.

1.2.2. Uses Advised Against

No additional information available

Details of the Supplier of the Safety Data Sheet

NuSil Technology Europe 1198 Avenue Maurice Donat Le Natura Bt. 2 06250 Mougins France +33 4 92 96 93 31

ehs@nusil.com

www.nusil.com

Emergency Telephone Number

Emergency Number : +(44)-870-8200418

+(353)-19014670

SECTION 2: Hazards Identification

Classification of the Substance or Mixture 2.1.

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225 Skin Irrit. 2 H315 Eye Dam. 1 H318 STOT SE 3 H335

Full text of hazard classes and H-statements: see section 16

Label Elements 2.2.

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard Pictograms (CLP)





GHS05

Signal Word (CLP)

Danger

Hazard Statements (CLP) H225 - Highly flammable liquid and vapour.

H315 - Causes skin irritation.

H318 - Causes serious eye damage. H335 - May cause respiratory irritation.

13/05/2019 EN (English)

Version uploaded 18/02/2020

Precautionary Statements (CLP)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P240 - Ground and bond container and receiving equipment.

P241 - Use explosion-proof electrical, ventilating, and lighting equipment.

P242 - Use non-sparking tools.

P243 - Take action to prevent static discharges.

P261 - Avoid breathing vapors, mist, or spray

P264 - Wash hands, forearms, and exposed areas thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear eye protection, face protection, protective clothing, protective gloves

P302+P352 - IF ON SKIN: Wash with plenty of water

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor

P312 - Call a POISON CENTRE or doctor if you feel unwell.

P321 - Specific treatment (see Section 4 on this SDS)

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse

P370+P378 - In case of fire: Use appropriate media (see section 5) to extinguish

P403+P233+P235 - Store in a well-ventilated place. Keep container tightly closed. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixture

Contact

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product Identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Siloxanes and Silicones, methyl 3,3,3-trifluoropropyl, hydroxyterminated	(CAS-No.) 68607-77-2	40 - 60	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
tert-Butyl acetate substance with national workplace exposure limit(s) (AT, BE, CH, CZ, DE, DK, ES, FI, FR, GB, GR, IE, LV, PL, PT, SE, SK)	(CAS-No.) 540-88-5 (EC-No.) 208-760-7 (EC Index-No.) 607-026-00-7	30 - 50	Flam. Liq. 2, H225
Silanetriol, ethyl-, triacetate	(CAS-No.) 17689-77-9 (EC-No.) 241-677-4	< 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318
Silanetriol, methyl-, triacetate	(CAS-No.) 4253-34-3 (EC-No.) 224-221-9	< 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318

Full text of H-statements: see section 16

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures			
First-Aid Measures General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).		
First-Aid Measures After Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.		
First-Aid Measures After Skin Contact	Remove contaminated clothing. Drench affected area with water or soap and water for at least 15 minutes. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.		
First-Aid Measures After Eye Contact	Rinse cautiously with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.		
First-Aid Measures After Ingestion	Seek medical attention if a large amount is swallowed. Rinse mouth. Do NOT induce vomiting.		

4.2. Most Important Symptoms and Effects Both Acute and Delayed		
Symptoms/Effects	Causes skin irritation. Causes serious eye damage. May cause drowsiness and dizziness. May cause respiratory irritation.	
Symptoms/Effects After Inhalation	May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing. High concentrations may cause central nervous system depression such as dizziness, vomiting, numbness, drowsiness, headache, and similar narcotic symptoms.	
Symptoms/Effects After Skin Contact	Redness, pain, swelling, itching, burning, dryness, and dermatitis.	
Symptoms/Effects After Eye	Causes permanent damage to the cornea, iris, or conjunctiva.	

13/05/2019 EN (English) 3/12

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Symptoms/Effects After

Ingestion

Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms Repeated exposure may cause skin dryness or cracking.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: Firefighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media Unsuitable Extinguishing Media Water spray, fog, carbon dioxide, foam, dry chemical.

Do not use a heavy water stream. Use of heavy stream of water may spread fire. Application of water stream to hot product

may cause frothing and increase fire intensity.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Highly flammable liquid and vapour.

Explosion Hazard May form flammable/explosive vapour-air mixture.

Reactivity Reacts violently with (strong) oxidizers: (increased) risk of

fire/explosion.

Hazardous Decomposition Products in Case of Fire

Carbon oxides (CO, CO₂). Silicon oxides. Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapours.

Formaldehyde is a potential carcinogen and can act as a skin

and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation. Isobutylene. Acetic acid. Oxides

of tin.

5.3. Advice for Firefighters

Precautionary Measures Fire Firefighting Instructions

Exercise caution when fighting any chemical fire. Do not breathe fumes from fires or vapours from

decomposition.

Protection During Firefighting

Do not enter fire area without proper protective equipment,

including respiratory protection.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures Use special care to avoid static electric charges. Keep away

from heat, sparks, open flames, hot surfaces. – No smoking. Avoid contact with skin, eyes and clothing. Avoid breathing

(vapor, mist, spray).

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).

Emergency Procedures Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Stop leak if safe to do so. Eliminate ignition sources. Ventilate

area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

13/05/2019 EN (English) 4/12

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Methods For Cleaning Up Clean up spills immediately and dispose of waste safely. Spills

should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-sparking tools. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for advice on personal protective equipment and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Additional Hazards When Handle empty containers with care because residual vapours

Processed are flammable.

Precautions for Safe Handling Avoid contact with skin and eyes. Take precautionary measures

against static discharge. Use only non-sparking tools. Keep away from heat, sparks, open flames, hot surfaces. – No

smoking.

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again

when leaving work.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Proper grounding procedures to avoid static electricity should

be followed. Ground/bond container and receiving

equipment. Use explosion-proof electrical, ventilating, and lighting equipment. Comply with applicable regulations.

Storage Conditions Store in a dry, cool and well-ventilated place. Keep container

closed when not in use. Keep/Store away from direct sunlight,

extremely high or low temperatures and incompatible

materials. Keep in fireproof place.

Incompatible Materials

Specific End Use(S)

For professional use only.

Strong acids. Strong bases. Strong oxidizers.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

tert-Butyl acetate (540-88-5)		
Austria	MAK (mg/m³)	96 mg/m³
Austria	MAK (ppm)	20 ppm
Austria	MAK Short time value (mg/m³)	96 mg/m³
Austria	MAK Short time value (ppm)	20 ppm
Austria	OEL - Ceilings (mg/m³)	96 mg/m³
Austria	OEL - Ceilings (ppm)	20 ppm
Belgium	Limit value (mg/m³)	238 mg/m³
Belgium	Limit value (ppm)	50 ppm

Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Short time value (mg/m²) 712 mg/m² 512 mg/m² 5		CH) with its amendment Regulation (EU) 2015/830	710 / 3
Croatia GVI (granična vrijednost izloženosti) (mg/m²) 966 mg/m² Croatia GVI (granična vrijednost izloženosti) (ppm) 200 ppm Croatia KGVI (kratkotrajna granična vrijednost izloženosti) (ppm) 1210 mg/m² Croatia KGVI (kratkotrajna granična vrijednost izloženosti) (ppm) 250 ppm Croatia KGVI (kratkotrajna granična vrijednost izloženosti) (ppm) 250 ppm Czech Republic Expozični limity (PEL) (mg/m²) 250 ppm Denmark Grcenseværdie (langvarig) (mg/m²) 710 mg/m² (Butyl acetate, all isomers) Denmark Grcenseværdie (langvarig) (ppm) 150 ppm (Butyl acetate, all isomers) Finland HTP-arvo (8h) (mg/m²) 720 mg/m² (Butyl acetate, all isomers) Finland HTP-arvo (15 min) 960 mg/m² (Butyl acetate) Finland HTP-arvo (15 min) (ppm) 200 ppm (Butyl acetate) Finland HT		<u> </u>	
Croatia Croa			150 ppm
IzioZenosti) (ppm) 200 ppm	Croatia		966 mg/m³
krijednost izloženosti) (mg/m³) 1210 mg/m³ Croatia KGVI (kratkotrojna granična vrijednost izloženosti) (ppm) 250 ppm Czech Republic Expoziční limity (PEL) (mg/m³) 950 mg/m³ Denmark Grænseværdie (langvarig) (mg/m³) 710 mg/m³ (Butyl acetate, all isomers) Denmark Grænseværdie (langvarig) (ppm) 150 ppm (Butyl acetate, all isomers) Finland HTP-arvo (8h) (mg/m³) 720 mg/m³ (Butyl acetate) Finland HTP-arvo (15 min) 950 mg/m³ (Butyl acetate) Finland HTP-arvo (15 min) 950 mg/m³ (Butyl acetate) Finland HTP-arvo (15 min) (ppm) 200 ppm (Butyl acetate) Firance VME (mg/m³) 950 mg/m³ (Butyl acetate) France VME (mg/m³) 950 mg/m³ France VME (mg/m³) 950 mg/m³ Germany TRGS 900 Occupational exposure limit value (mg/m³) 96 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece OEL TWA (mg/m³) 950 mg/m³ Greece OEL TWA (ppm) 20 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece	Croatia	, ,	200 ppm
Czech Republic Expoziční límity (PEL) (mg/m³) 950 mg/m³ Denmark Grænseværdie (langvarig) (mg/m³) 750 mg/m³ 950 mg/m³ Denmark Grænseværdie (langvarig) (mg/m³) 710 mg/m³ (Butyl acetate, all isomers) Denmark Grænseværdie (langvarig) (ppm) 150 ppm (Butyl acetate, all isomers) Finland HTP-arvo (8h) (ppm) 720 mg/m³ (Butyl acetate) Finland HTP-arvo (15 min) 960 mg/m³ (Butyl acetate) Finland HTP-arvo (15 min) 960 mg/m³ (Butyl acetate) Finland HTP-arvo (15 min) (ppm) 200 ppm (Butyl acetate) Finland HTP-arvo (15 min) (ppm) 200 ppm (Butyl acetate) Finland HTP-arvo (15 min) (ppm) 200 ppm (Butyl acetate) Finland HTP-arvo (15 min) (ppm) 200 ppm (Butyl acetate) Finland HTP-arvo (15 min) (ppm) 200 ppm (Butyl acetate) Finland HTP-arvo (15 min) (ppm) 200 ppm (Butyl acetate) Fracece VME (ppm) 200 ppm Germany TRGS 900 Occupational exposure limit value (mg/m³) 950 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) <	Croatia	, , , , , , , , , , , , , , , , , , , ,	1210 mg/m³
Czech Republic Expoziční limity (PEL) (mg/m³) 950 mg/m³ Denmark Grænseværdie (langvarig) (mg/m³) 710 mg/m³ (Butyl acetate, all isomers) Denmark Grænseværdie (langvarig) (ppm) 150 ppm (Butyl acetate, all isomers) Finland HTP-arvo (8h) (mg/m³) 720 mg/m³ (Butyl acetate) Finland HTP-arvo (15 min) 960 mg/m³ (Butyl acetate) Finland HTP-arvo (15 min) (ppm) 200 ppm (Butyl acetate) France VME (mg/m³) 950 mg/m³ France VME (mg/m³) 950 mg/m³ France VME (mg/m³) 950 mg/m³ France VME (ppm) 200 ppm Germany TRGS 900 Occupational exposure limit value (mg/m³) 96 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece OEL TWA (mg/m³) 950 mg/m³ Greece OEL TWA (mg/m³) 950 mg/m³ Greece OEL	Croatia	·	250 ppm
Denmark Grænseværdie (langvarig) (mg/m³) Denmark Grænseværdie (langvarig) (ppm) Finland HTP-arvo (8h) (mg/m³) Finland HTP-arvo (15 min) Finland HTP-arvo (15 min) Finland HTP-arvo (15 min) France VME (mg/m³) France VME (mg/m³) France VME (ppm) Germany TRGS 900 Occupational exposure limit value (mg/m³) Erece Germany TRGS 900 Occupational exposure limit value (ppm) France Germany TRGS 900 Occupational exposure limit value (ppm) Erece Germany TRGS 900 Occupational exposure limit value (ppm) Erece Germany TRGS 900 Occupational exposure limit value (ppm) Erece Greece OEL TWA (mg/m³) France OEL TWA (mg/m³) France OEL STEL (mg/m²) France OEL STEL (ppm) Iteland OEL (8 hours ref) (mg/m³) France OEL (15 min ref) (ppm) France OEL TWA (mg/m³) Poland NDS Ch (mg/m³) Portugal OEL TWA (ppm) Slovakia NPHV (priemerná) (mg/m³) Slovakia NPHV (priemerná) (mg/m³) Slovakia OEL TWA (mg/m³) OEL TWA (mg/m³) Slovakia OEL TWA (mg/m³) Slovakia OEL TWA (mg/m³) Slovakia OEL TWA (mg/m³) Slovakia OEL TWA (mg/m³) OEL TWA (mg/m³) Slovakia	Czech Republic		
Einland	·	Grænseværdie (langvarig)	
Finland HTP-arvo (8h) (ppm) 150 ppm (Butyl acetate) Finland HTP-arvo (15 min) 960 mg/m³ (Butyl acetate) Finland HTP-arvo (15 min) 960 mg/m³ (Butyl acetate) France VME (mg/m³) 950 mg/m³ France VME (ppm) 200 ppm Germany TRGS 900 Occupational exposure limit value (mg/m³) 96 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Germany TRGS 900 Occupational exposure limit value (ppm) 20 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece OEL TWA (mg/m³) 950 mg/m³ Greece OEL TWA (ppm) 200 ppm Greece OEL STEL (mg/m³) 1190 mg/m³ Greece OEL STEL (ppm) 250 ppm Ireland OEL (8 hours ref) (mg/m³) 950 mg/m³ Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 200 ppm Ireland OEL TWA (mg/m³) 900 mg/m³ Poland NDS (mg/m³) 900 mg/m³ Poland NDSCh (mg/m³) <td< td=""><td>Denmark</td><td>, , ,</td><td>150 ppm (Butyl acetate, all isomers)</td></td<>	Denmark	, , ,	150 ppm (Butyl acetate, all isomers)
Finland HTP-arvo (15 min) 960 mg/m³ (Butyl acetate) Finland HTP-arvo (15 min) (ppm) 200 ppm (Butyl acetate) France VME (mg/m³) 950 mg/m³ France VME (ppm) 200 ppm Germany TRGS 900 Occupational exposure limit value (mg/m³) 96 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Germany TRGS 900 Occupational exposure limit value (ppm) 200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece OEL TWA (mg/m³) 950 mg/m³ Greece OEL STEL (mg/m³) 1190 mg/m³ Greece OEL STEL (mg/m³) 1190 mg/m³ Ireland OEL (8 hours ref) (mg/m³) 950 mg/m³ Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 600 ppm (calculated) Latvia OEL TWA (mg/m³) 900 mg/m³ Poland NDSC (mg/m³) 900 mg/m³ Poland NDSCh (mg/m³) 900 mg/m³ Portugal OEL TWA (ppm) 200 ppm Slovakia NPHV (priemerná) (mg/m³) 384 mg/m³ Slovakia OEL TWA (mg/m³) 345 mg/m³ Slovenia OEL TWA (mg/m³) 96 mg/m³	Finland	HTP-arvo (8h) (mg/m³)	720 mg/m³ (Butyl acetate)
Finland HTP-arvo (15 min) (ppm) 200 ppm (Butyl acetate) France VME (mg/m³) 950 mg/m³ France VME (ppm) 200 ppm Germany TRGS 900 Occupational exposure limit value (mg/m³) 96 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Germany TRGS 900 Occupational exposure limit value (ppm) 200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece OEL TWA (mg/m³) 950 mg/m³ Greece OEL TWA (mg/m³) 200 ppm Greece OEL STEL (mg/m³) 1190 mg/m³ Greece OEL STEL (ppm) 250 ppm Ireland OEL (8 hours ref) (mg/m³) 950 mg/m³ Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 600 ppm (calculated) Latvia OEL TWA (mg/m³) 900 mg/m³ Poland NDS (mg/m³) 900 mg/m³ Poland NDSCh (mg/m³) 900 mg/m³ Slovakia NPHV (priemerná) (mg/m³) 500 mg/m³ Slovakia NPHV (priemerná) (mg/m³) 384 mg/m³ Slovakia NPHV (priemerná) (mg/m³) 384 mg/m³ Slovakia OEL TWA (mg/m³) 96 mg/m³ Slovenia OEL TWA (ppm) 96 mg/m³	Finland	<u> </u>	150 ppm (Butyl acetate)
France VME (mg/m³) 950 mg/m³ France VME (ppm) 200 ppm Germany TRGS 900 Occupational exposure limit value (mg/m³) 96 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Germany TRGS 900 Occupational exposure limit value (ppm) 20 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece OEL TWA (mg/m³) 950 mg/m³ Greece OEL TWA (ppm) 200 ppm Greece OEL STEL (mg/m³) 1190 mg/m³ Greece OEL STEL (mg/m³) 1190 mg/m³ Greece OEL (8 hours ref) (mg/m³) 950 mg/m³ Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (8 hours ref) (ppm) 600 ppm (calculated) Latvia OEL (15 min ref) (ppm) 600 ppm (calculated) Latvia OEL TWA (mg/m³) 900 mg/m³ Poland NDSCh (mg/m³) 900 mg/m³ Poland NDSCh (mg/m³) 900 mg/m³ Slovakia NPHV (priemerná) (mg/m³) 500 mg/m³ Slovakia NPHV (priemerná) (mg/m³) 384 mg/m³ Slovakia NPHV (mg/m²)	Finland	HTP-arvo (15 min)	960 mg/m³ (Butyl acetate)
France VME (mg/m³) 950 mg/m³ France VME (ppm) 200 ppm Germany TRGS 900 Occupational exposure limit value (mg/m³) 96 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Germany TRGS 900 Occupational exposure limit value (ppm) 20 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece OEL TWA (mg/m³) 950 mg/m³ Greece OEL TWA (ppm) 200 ppm Greece OEL STEL (mg/m³) 1190 mg/m³ Greece OEL STEL (mg/m³) 1190 mg/m³ Greece OEL (8 hours ref) (mg/m³) 950 mg/m³ Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (8 hours ref) (ppm) 600 ppm (calculated) Latvia OEL (15 min ref) (ppm) 600 ppm (calculated) Latvia OEL TWA (mg/m³) 900 mg/m³ Poland NDSCh (mg/m³) 900 mg/m³ Poland NDSCh (mg/m³) 900 mg/m³ Slovakia NPHV (priemerná) (mg/m³) 500 mg/m³ Slovakia NPHV (priemerná) (mg/m³) 384 mg/m³ Slovakia NPHV (mg/m²)	Finland	,	
France VME (ppm) 200 ppm Germany TRGS 900 Occupational exposure limit value (mg/m³) 96 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Germany TRGS 900 Occupational exposure limit value (ppm) 20 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece OEL TWA (mg/m³) 950 mg/m³ Greece OEL TWA (ppm) 200 ppm Greece OEL STEL (mg/m³) 1190 mg/m³ Greece OEL STEL (ppm) 250 ppm Ireland OEL (8 hours ref) (mg/m³) 950 mg/m³ Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 600 ppm (calculated) Latvia OEL TWA (mg/m³) 900 mg/m³ Poland NDS (mg/m³) 900 mg/m³ Poland NDSCh (mg/m³) 900 mg/m³ Portugal OEL TWA (ppm) 200 ppm Slovakia NPHV (priemerná) (mg/m³) 500 mg/m³ Slovakia NPHV (priemerná) (ppm) 100 ppm Slovakia NPHV (Hraničná) (mg/m³) 384 mg/m³ Slovenia OEL TWA (mg/m³) 96 mg/m³ Slovenia OEL TWA (mg/m³) 96 mg/m³	France	, , , , ,	
Germany TRGS 900 Occupational exposure limit value (mg/m³) 96 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Germany TRGS 900 Occupational exposure limit value (ppm) 20 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Greece OEL TWA (mg/m³) 950 mg/m³ Greece OEL TWA (ppm) 200 ppm Greece OEL STEL (mg/m³) 1190 mg/m³ Greece OEL STEL (ppm) 250 ppm Ireland OEL (8 hours ref) (mg/m³) 950 mg/m³ Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 600 ppm (calculated) Latvia OEL TWA (mg/m³) 200 mg/m³ Poland NDS (mg/m³) 900 mg/m³ Poland NDSCh (mg/m³) 900 mg/m³ Portugal OEL TWA (ppm) 200 ppm Slovakia NPHV (priemerná) (mg/m³) 500 mg/m³ Slovakia NPHV (Hraničná) (mg/m³) 384 mg/m³ Slovenia OEL TWA (ppm) 20 ppm	France	,	
exposure limit value (ppm) embryo or fetus can be excluded when AGW and BGW values are observed) Greece OEL TWA (mg/m³) 950 mg/m³ Greece OEL STEL (mg/m³) 1190 mg/m³ Greece OEL STEL (ppm) 250 ppm Ireland OEL (8 hours ref) (mg/m³) 950 mg/m³ Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 600 ppm (calculated) Latvia OEL TWA (mg/m³) 900 mg/m³ Poland NDS (mg/m³) 900 mg/m³ Poland NDSCh (mg/m³) 900 mg/m³ Portugal OEL TWA (ppm) 200 ppm Slovakia NPHV (priemerná) (mg/m³) 500 mg/m³ Slovakia NPHV (priemerná) (mg/m³) 384 mg/m³ Slovakia OEL TWA (mg/m³) 96 mg/m³	Germany	TRGS 900 Occupational	embryo or fetus can be excluded when AGW and BGW values are
Greece OEL TWA (ppm) 200 ppm Greece OEL STEL (mg/m³) 1190 mg/m³ Greece OEL STEL (ppm) 250 ppm Ireland OEL (8 hours ref) (mg/m³) 950 mg/m³ Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 600 ppm (calculated) Latvia OEL TWA (mg/m³) 200 mg/m³ Poland NDS (mg/m³) 900 mg/m³ Poland NDSCh (mg/m°) 900 mg/m³ Portugal OEL TWA (ppm) 200 ppm Slovakia NPHV (priemerná) (mg/m³) 500 mg/m³ Slovakia NPHV (priemerná) (ppm) 100 ppm Slovakia NPHV (Hraničná) (mg/m³) 384 mg/m³ Slovakia OEL TWA (mg/m³) 96 mg/m³ Slovakia OEL TWA (mg/m³) 96 mg/m³ Slovakia OEL TWA (ppm) 200 ppm	Germany	·	embryo or fetus can be excluded when AGW and BGW values are
Greece OEL STEL (mg/m³) 1190 mg/m³ Greece OEL STEL (ppm) 250 ppm Ireland OEL (8 hours ref) (mg/m³) 950 mg/m³ Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 600 ppm (calculated) Latvia OEL TWA (mg/m³) 200 mg/m³ Poland NDS (mg/m³) 900 mg/m³ Poland NDSCh (mg/m³) 900 mg/m³ Portugal OEL TWA (ppm) 200 ppm Slovakia NPHV (priemerná) (mg/m³) 500 mg/m³ Slovakia NPHV (priemerná) (ppm) 100 ppm Slovakia NPHV (Hraničná) (mg/m³) 384 mg/m³ Slovenia OEL TWA (ppm) 20 ppm	Greece	OEL TWA (mg/m³)	950 mg/m³
Greece OEL STEL (ppm) 250 ppm Ireland OEL (8 hours ref) (mg/m³) 950 mg/m³ Ireland OEL (8 hours ref) (ppm) 200 ppm Ireland OEL (15 min ref) (ppm) 600 ppm (calculated) Latvia OEL TWA (mg/m³) 200 mg/m³ Poland NDS (mg/m³) 900 mg/m³ Poland NDSCh (mg/m³) 900 mg/m³ Portugal OEL TWA (ppm) 200 ppm Slovakia NPHV (priemerná) (mg/m³) 500 mg/m³ Slovakia NPHV (priemerná) (ppm) 100 ppm Slovakia NPHV (Hraničná) (mg/m³) 384 mg/m³ Slovenia OEL TWA (ppm) 96 mg/m³ Slovenia OEL TWA (ppm) 200 ppm	Greece	OEL TWA (ppm)	200 ppm
Ireland OEL (8 hours ref) (mg/m³) Ireland OEL (8 hours ref) (ppm) OEL (15 min ref) (ppm) OEL TWA (mg/m³) Poland NDS (mg/m³) Poland NDS (mg/m³) Portugal OEL TWA (ppm) OEL TWA (ppm) OEL TWA (ppm) Slovakia NPHV (priemerná) (mg/m³) Slovakia NPHV (priemerná) (ppm) NPHV (Hraničná) (mg/m³) Slovenia OEL TWA (mg/m³) OEL TWA (mg/m³) Slovenia OEL TWA (ppm)	Greece	OEL STEL (mg/m³)	1190 mg/m³
IrelandOEL (8 hours ref) (ppm)200 ppmIrelandOEL (15 min ref) (ppm)600 ppm (calculated)LatviaOEL TWA (mg/m³)200 mg/m³PolandNDS (mg/m³)900 mg/m³PolandNDSCh (mg/m³)900 mg/m³PortugalOEL TWA (ppm)200 ppmSlovakiaNPHV (priemerná) (mg/m³)500 mg/m³SlovakiaNPHV (priemerná) (ppm)100 ppmSlovakiaNPHV (Hraničná) (mg/m³)384 mg/m³SloveniaOEL TWA (mg/m³)96 mg/m³SloveniaOEL TWA (ppm)20 ppm	Greece	OEL STEL (ppm)	250 ppm
Ireland OEL (15 min ref) (ppm) 600 ppm (calculated) Latvia OEL TWA (mg/m³) 200 mg/m³ Poland NDS (mg/m³) 900 mg/m³ Poland NDSCh (mg/m³) 900 mg/m³ Portugal OEL TWA (ppm) 200 ppm Slovakia NPHV (priemerná) (mg/m³) 500 mg/m³ Slovakia NPHV (priemerná) (ppm) 100 ppm Slovakia NPHV (Hraničná) (mg/m³) 384 mg/m³ Slovenia OEL TWA (mg/m³) 96 mg/m³ Slovenia OEL TWA (ppm) 20 ppm	Ireland	OEL (8 hours ref) (mg/m³)	950 mg/m³
LatviaOEL TWA (mg/m³)200 mg/m³PolandNDS (mg/m³)900 mg/m³PolandNDSCh (mg/m³)900 mg/m³PortugalOEL TWA (ppm)200 ppmSlovakiaNPHV (priemerná) (mg/m³)500 mg/m³SlovakiaNPHV (priemerná) (ppm)100 ppmSlovakiaNPHV (Hraničná) (mg/m³)384 mg/m³SloveniaOEL TWA (mg/m³)96 mg/m³SloveniaOEL TWA (ppm)20 ppm	Ireland	OEL (8 hours ref) (ppm)	200 ppm
PolandNDS (mg/m³)900 mg/m³PolandNDSCh (mg/m³)900 mg/m³PortugalOEL TWA (ppm)200 ppmSlovakiaNPHV (priemerná) (mg/m³)500 mg/m³SlovakiaNPHV (priemerná) (ppm)100 ppmSlovakiaNPHV (Hraničná) (mg/m³)384 mg/m³SloveniaOEL TWA (mg/m³)96 mg/m³SloveniaOEL TWA (ppm)20 ppm	Ireland	OEL (15 min ref) (ppm)	600 ppm (calculated)
PolandNDS (mg/m³)900 mg/m³PolandNDSCh (mg/m³)900 mg/m³PortugalOEL TWA (ppm)200 ppmSlovakiaNPHV (priemerná) (mg/m³)500 mg/m³SlovakiaNPHV (priemerná) (ppm)100 ppmSlovakiaNPHV (Hraničná) (mg/m³)384 mg/m³SloveniaOEL TWA (mg/m³)96 mg/m³SloveniaOEL TWA (ppm)20 ppm			
PolandNDSCh (mg/m³)900 mg/m³PortugalOEL TWA (ppm)200 ppmSlovakiaNPHV (priemerná) (mg/m³)500 mg/m³SlovakiaNPHV (priemerná) (ppm)100 ppmSlovakiaNPHV (Hraničná) (mg/m³)384 mg/m³SloveniaOEL TWA (mg/m³)96 mg/m³SloveniaOEL TWA (ppm)20 ppm		<u> </u>	
PortugalOEL TWA (ppm)200 ppmSlovakiaNPHV (priemerná) (mg/m³)500 mg/m³SlovakiaNPHV (priemerná) (ppm)100 ppmSlovakiaNPHV (Hraničná) (mg/m³)384 mg/m³SloveniaOEL TWA (mg/m³)96 mg/m³SloveniaOEL TWA (ppm)20 ppm	Poland		
SlovakiaNPHV (priemerná) (mg/m³)500 mg/m³SlovakiaNPHV (priemerná) (ppm)100 ppmSlovakiaNPHV (Hraničná) (mg/m³)384 mg/m³SloveniaOEL TWA (mg/m³)96 mg/m³SloveniaOEL TWA (ppm)20 ppm	Portugal	- 	i i
SlovakiaNPHV (priemerná) (ppm)100 ppmSlovakiaNPHV (Hraničná) (mg/m³)384 mg/m³SloveniaOEL TWA (mg/m³)96 mg/m³SloveniaOEL TWA (ppm)20 ppm		, , ,	
SlovakiaNPHV (Hraničná) (mg/m³)384 mg/m³SloveniaOEL TWA (mg/m³)96 mg/m³SloveniaOEL TWA (ppm)20 ppm	Slovakia		
SloveniaOEL TWA (mg/m³)96 mg/m³SloveniaOEL TWA (ppm)20 ppm	Slovakia	<u> </u>	
Slovenia OEL TWA (ppm) 20 ppm	Slovenia		
	Slovenia	· • · · · · · · · · · · · · · · · · · ·	
	Slovenia	OEL STEL (mg/m³)	

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Slovenia	OEL STEL (ppm)	20 ppm
Spain	VLA-ED (mg/m³)	966 mg/m³
Spain	VLA-ED (ppm)	200 ppm
Sweden	nivågränsvärde (NVG) (mg/m³)	500 mg/m³ (Butyl acetates)
Sweden	nivågränsvärde (NVG) (ppm)	100 ppm (Butyl acetates)
Sweden	kortidsvärde (KTV) (mg/m³)	700 mg/m³ (Butyl acetates)
Sweden	kortidsvärde (KTV) (ppm)	150 ppm (Butyl acetates)
Switzerland	KZGW (mg/m³)	480 mg/m³
Switzerland	KZGW (ppm)	100 ppm
Switzerland	MAK (mg/m³)	240 mg/m³
Switzerland	MAK (ppm)	50 ppm
United Kingdom	WEL TWA (mg/m³)	966 mg/m³
United Kingdom	WEL TWA (ppm)	200 ppm
United Kingdom	WEL STEL (mg/m³)	1210 mg/m³
United Kingdom	WEL STEL (ppm)	250 ppm

8.2. Exposure Controls

Appropriate Engineering Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Ensure adequate ventilation, especially in confined areas. Gas detectors should be used when flammable gases/vapours may

be released. Take precautionary measures against static discharges. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment.

Ensure all national/local regulations are observed.

Personal Protective Equipment Protective goggles. Gloves. Protective clothing. Insufficient

ventilation: wear respiratory protection.









Materials for Protective Clothing

Controls

Chemically resistant materials and fabrics. Wear fire/flame

resistant/retardant clothina.

Hand Protection Wear chemically resistant protective gloves.

Eye Protection Chemical safety goggles.

Skin and Body Protection Wear suitable protective clothing.
Respiratory Protection Use a NIOSH-approved respirator of

Use a NIOSH-approved respirator or self-contained breathing

apparatus whenever exposure may exceed established

Occupational Exposure Limits.

Environmental Exposure Do not allow the product to be released into the environment.

Consumer Exposure Controls Do not eat, drink or smoke during use.

SECTION 9: Physical and Chemical Hazards

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid Appearance White.

Odour No data available

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ccording to Regulation (EC) No. 1907/2006 (REACH) with its amenament Regula	fion (EU) 2015/830
Odour Threshold	No data available
рН	No data available
Evaporation Rate	No data available
Melting Point	No data available
Freezing Point	No data available
Boiling Point	98 °C (208 °F)
Flash Point	4,4 °C (40 °F)
Auto-Ignition Temperature	No data available
Decomposition Temperature	No data available
Flammability (Solid, Gas)	No data available
Vapour Pressure	No data available
Relative Vapour Density At 20 °C	No data available
Relative Density	< 1 (water = 1)
Solubility	No data available
Partition Coefficient n-Octanol/Water	No data available
Viscosity, Kinematic	No data available
Viscosity, Dynamic	No data available
Explosive Properties	No data available
Oxidising Properties	No data available
Explosive Limits	No data available

9.2. Other Information

VOC content 30 - 50 %

SECTION 10: Stability and Reactivity

10.1. Reactivity

Reacts violently with (strong) oxidizers: (increased) risk of fire/explosion.

10.2. Chemical Stability

Highly flammable liquid and vapour.

10.3. Possibility Of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions To Avoid

Direct sunlight. Extremely high or low temperatures. Ignition sources. Incompatible materials.

10.5. Incompatible Materials

Strong acids. Strong bases. Strong oxidizers.

10.6. Hazardous Decomposition Products

None expected under normal conditions of use.

SECTION 11: Toxicological Information

11.1. Information On Toxicological Effects

Acute Toxicity Not classified

tert-Butyl acetate (540-88-5)	
LD50 Oral Rat	4500 mg/kg
LD50 Oral	3300 mg/kg
LD50 Dermal Rabbit	> 2000
LC50 Inhalation Rat	> 9482 mg/m³ (Exposure time: 4 h)
LC50 Inhalation Rat	5157 ppm/4h

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

tert-Butyl acetate (540-88-5)		
LC50 Inhalation Rat	13,3 mg/l/4h	
Silanetriol, ethyl-, triacetate (17689-77-9)		
LD50 Oral Rat	1460 mg/kg	
LD50 Oral	1462 mg/kg	
Silanetriol, methyl-, triacetate (4253-34-3)		
LD50 Oral Rat	1437 - 1780 mg/kg	
LD50 Oral	1602 mg/kg	

Skin Corrosion/Irritation Causes skin irritation.

Eye Damage/Irritation Causes serious eye damage.

Respiratory or Skin Sensitization Not classified Germ Cell Mutagenicity Not classified Not classified Reproductive Toxicity Not classified

Specific Target Organ Toxicity

May cause respiratory irritation.

(Single Exposure)

Specific Target Organ Toxicity (Repeated Not classified

Exposure)

Aspiration Hazard Not classified

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Not classified

tert-Butyl acetate (540-88-5)	
LC50 Fish 1	296 - 362 mg/l (Exposure time: 96 h - Species: Pimephales
	promelas [flow-through])

12.2. Persistence and Degradability

MED10-6655	
Persistence and Degradability	Not established.
Dibutyltin diacetate (1067-33-0)	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

MED10-6655		
Bioaccumulative potential	Not established.	
tert-Butyl acetate (540-88-5)		
Log Pow	1,38	
Silanetriol, methyl-, triacetate (4253-34-3)		
Log Pow	0,25 KowWin	

12.4. Mobility in Soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other Adverse Effects

Other Information Avoid release to the environment.

13/05/2019 EN (English) 9/12

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Product/Packaging Disposal Dispose of waste material in accordance with all local,

Recommendations regional, national, and international regulations.

Additional Information Handle empty containers with care because residual vapours

are flammable.

Ecology - Waste Materials Avoid release to the environment.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID	
14.1. UN Number					
1123	1123	1123	1123	1123	
14.2. UN Proper Shipping Name					
BUTYL ACETATES	BUTYL ACETATES	BUTYL ACETATES	BUTYL ACETATES	BUTYL ACETATES	
14.3. Transport Hazard Class(Es)					
3	3	3	3	3	
3	3	3	3	3	
14.4. Packing Group					
II	II	II			
14.5. Environmental Hazards					
Dangerous for	Dangerous for	Dangerous for	Dangerous for	Dangerous for	
the environment	the environment	the environment	the environment	the environment	
: No	: No	: No	: No	: No	
	Marine pollutant				
	: No				

14.6. Special Precautions For User

No additional information available

14.7. Transport in Bulk According to Annex II of MARPOL and The IBC Code

Not applicable

SECTION 15: Regulatory Information

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National Regulations

No additional information available

13/05/2019 EN (English) 10/12

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out

SECTION 16: Other Information

Indication of Changes

Section	Section Header	Change	Date Changed
1	Identification of the substance/mixture and of the company/undertaking	Modified	13/05/2019
3	Composition/information on ingredients	Modified	13/05/2019

Date of Preparation or Latest

Revision

13/05/2019

Data Sources Information and data obtained and used in the authoring of

this safety data sheet could come from database subscriptions,

official government regulatory body websites,

product/ingredient manufacturer or supplier specific

information, and/or resources that include substance specific data and classifications according to GHS or their subsequent

adoption of GHS.

Other Information According to Regulation (EC) No. 1907/2006 (REACH) with its

amendment Regulation (EU) 2015/830

Full Text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT SE 1	Specific target organ toxicity — Single exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3,
	Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

ATE - Acute Toxicity Estimate

NDS - Najwyzsze Dopuszczalne Stezenie NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration NRD - Nevirsytinas Ribinis Dydis

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

BCF - Bioconcentration Factor BEI - Biological Exposure Indices (BEI) BOD - Biochemical Oxygen Demand

CAS No. - Chemical Abstracts Service Number

CLP - Classification, Labeling and Packaging Regulation (EC) No 1272/2008

COD - Chemical Oxygen Demand EC - European Community

EC50 - Median Effective Concentration – European Economic Community

EINECS – European Inventory of Existing Commercial Chemical Substances EmS-No. (Fire) - IMDG Emergency Schedule Fire

EmS-No. (Spillage) - IMDG Emergency Schedule Spillage

EU - European Union

ErC50 - EC50 in Terms of Reduction Growth Rate

GHS - Globally Harmonized System of Classification and Labeling of Chemicals

IARC - International Agency for Research on Cancer IATA - International Air Transport Association IBC Code - International Bulk Chemical Code IMDG - International Maritime Dangerous Goods

IPRV - Ilgalaikio Poveikio Ribinis Dydis IOELV - Indicative Occupational Exposure Limit Value

LC50 - Median Lethal Concentration

LD50 - Median Lethal Dose LOAFL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration

Log Koc - Soil Organic Carbon-water Partitioning Coefficient Log Kow - Octanol/water Partition Coefficient

Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol

and water

MAK - Maximum Workplace Concentration/Maximum Permissible Concentration

 $\operatorname{\mathsf{MARPOL}}$ - International Convention for the Prevention of Pollution

NTP - National Toxicology Program

OEL - Occupational Exposure Limits

PBT - Persistent, Bioaccumulative and Toxic

PEL - Permissible Exposure Limit

pH – Potential Hydrogen

REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail

SADT - Self Accelerating Decomposition Temperature

SDS - Safety Data Sheet STEL - Short Term Exposure Limit

STOT - Specific Target Organ Toxicity TA-Luft - Technische Anleitung zur Reinhaltung der Luft

TEL TRK – Technical Guidance Concentrations ThOD – Theoretical Oxygen Demand

TLM - Median Tolerance Limit

TLV - Threshold Limit Value

TPRD - Trumpalaikio Poveikio Ribinis Dydis TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in

ortsbeweglichen Behältern

TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine

TRGS 900 - Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte

TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC – Volatile Organic Compounds

VLA-EC - Valor Límite Ambiental Exposición de Corta Duración VLA-ED - Valor Límite Ambiental Exposición Diaria

VLE – Valeur Limite D'exposition

VME - Valeur Limite De Moyenne Exposition

vPvB - Very Persistent and Very Bioaccumulative

WEL - Workplace Exposure Limit WGK - Wassergefährdungsklasse

Nusil EU GHS SDS

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLYDISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.



Silicone Sales & Services UK - Ireland - Benelux

© 2020 - Polymer Systems Technology Limited™ Unit 2. Network 4. Cressex Business Park, Lincoln Road, High Wycombe, Bucks. HP12 3RF

tel: +44 (0) 1494 446610

web: https://www.silicone-polymers.com

email: sales@silicone-polymers.co.uk

