

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 11/06/2021 Date of issue: 29/05/2014

Version: 3.0

SECTION 1: Identification of the Substance/mixture and of the Company/Undertaking

1.1. Product Identifier

Product form Mixture
Product Name CV1-1146-2

Synonyms Silicone Dispersion

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

1.2.1. Relevant Identified Uses

Use of the Substance/Mixture For professional use only

1.2.2. Uses Advised Against

No additional information available

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology Europe

1198 Avenue Maurice Donat

Le Natura Bt. 2

06250 Mougins

France

+33 4 92 96 93 31

ehs@nusil.com

www.nusil.com

1.4. Emergency Telephone Number

Emergency Number: +1 703-527-3887 CHEMTREC (International and Maritime), 800-424-9300

CHEMTREC (in US) +(44)-870-8200418 +(353)-19014670

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

Classification According to Regulation (EC) No. 1272/2008

Flam. Liq. 2 H225
Skin Irrit. 2 H315
Eye Irrit. 2 H319
Skin Sens. 1 H317
STOT SE 3 H336
Asp. Tox. 1 H304
Aquatic Chronic 2 H411

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

Signal Word (CLP)

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard Pictograms (CLP)





Danger

11/06/2021 EN (English) 1/14

Hazardous Ingredients Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics; 2-

Butanone, O,O',O"-(methylsilylidyne)trioxime; 1-Propanamine, 3-(triethoxysilyl)-; N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine

Hazard Statements (CLP) H225 - Highly flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary Statements (CLP) P210 - Keep away from heat, hot surfaces, sparks, or

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P240 - Ground and bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting equipment.

P242 - Use non-sparking tools.

P243 - Take action to prevent static discharges.

P261 - Avoid breathing vapours, mist, spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTRE or doctor if you feel unwell.

P321 - Specific treatment (see SECTION 4 of this SDS).

P331 - Do NOT induce vomiting.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use appropriate media (see Section 5) to extinguish.

P391 - Collect spillage.

P403+P233+P235 - Store in a well-ventilated place. Keep container tightly closed. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special

waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product Identifier	%	Classification According to Regulation (EC) No. 1272/2008
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	(REACH Registration No.) 01-2119473851-33 (EC-No.) 920-750-0	20 - 40	Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
2-Butanone, O,O',O"- (methylsilylidyne)trioxime	(CAS-No.) 22984-54-9 (EC-No.) 245-366-4	< 10	Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT RE 2, H373
1-Propanamine, 3-(triethoxysilyI)-	(CAS-No.) 919-30-2 (EC-No.) 213-048-4 (EC Index-No.) 612-108- 00-0	< 3	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317
N-[3-(TrimethoxysilyI)propyI]-1,2- ethanediamine	(CAS-No.) 1760-24-3 (EC-No.) 217-164-6	< 1	Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318 Skin Sens. 1, H317
Dibutyltin dilaurate	(CAS-No.) 77-58-7 (EC-No.) 201-039-8 (EC Index-No.) 050-030- 00-3	< 0,1	Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Muta. 2, H341 Repr. 1B, H360 STOT SE 1, H370 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-Aid Measures General Never give anything by mouth to an unconscious person. If you

feel unwell, seek medical advice (show the label where

possible).

First-Aid Measures After

Inhalation

When symptoms occur: go into open air and ventilate

suspected area. Obtain medical attention if breathing difficulty

persists.

11/06/2021 EN (English) 3/14

First-Aid Measures After Skin Contact	Immediately remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes. Obtain medical attention if irritation/rash develops or persists. Wash contaminated clothing before reuse.
First-Aid Measures After Eye Contact	Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-Aid Measures After Ingestion	Obtain medical attention. Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Effects May be fatal if swallowed and enters airways. Causes skin

irritation. May cause drowsiness and dizziness. Skin sensitisation.

Causes serious eye irritation.

Symptoms/Effects After High concentrations may cause central nervous system

Inhalation depression such as dizziness, vomiting, numbness, drowsiness,

headache, and similar narcotic symptoms.

Symptoms/Effects After Skin Redness, pain, swelling, itching, burning, dryness, and

Contact dermatitis. May cause an allergic skin reaction.

Symptoms/Effects After Eye Contact causes severe irritation with redness and swelling of the

Contact conjunctiva.

Symptoms/Effects After Aspiration into the lungs can occur during ingestion or vomiting

Ingestion and may cause lung injury.

Chronic Symptoms Repeated or prolonged skin contact may cause dermatitis and

defatting.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media Dry chemical powder, alcohol-resistant foam, carbon dioxide

(CO₂). Water may be ineffective but water should be used to

keep fire-exposed container cool.

Unsuitable Extinguishing Media Do not use a heavy water stream. A heavy water stream may

spread burning liquid.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Highly flammable liquid and vapour.

Explosion Hazard May form flammable or explosive vapour-air mixture.

Reactivity Reacts violently with strong oxidisers. Increased risk of fire or

explosion.

Hazardous Decomposition Products in Case of Fire

Carbon oxides (CO, CO₂). Silicon oxides. Hydrocarbons. Metal

oxides.

5.3. Advice for Firefighters

Precautionary Measures Fire Exercise caution when fighting any chemical fire.

of major fire and large quantities: Evacuate area. Fight fire

remotely due to the risk of explosion.

Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

Other Information Do not allow run-off from fire fighting to enter drains or water

courses.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures Avoid breathing (vapour, mist, spray). Do not get in eyes, on

skin, or on clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use

special care to avoid static electric charges.

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE). Emergency Procedures Evacuate unnecessary personnel. Stop leak if safe to do so.

6.1.2. For Emergency Responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Stop leak if safe to do so. Eliminate ignition sources. Upon arrival

at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel

as soon as conditions permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods For Cleaning Up Clean up spills immediately and dispose of waste safely.

Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-

sparking tools.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Additional Hazards When Handle empty containers with care because residual vapours

Processed are flammable.

Precautions for Safe Handling Avoid contact with skin, eyes and clothing. Wash hands and

other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapours, mist, spray. Take precautionary measures against

static discharge. Use only non-sparking tools.

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations. Take action to prevent

static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and

lighting equipment.

11/06/2021 EN (English) 5/14

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Storage Conditions Store in a dry, cool and well-ventilated place. Keep in fireproof

place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked

up/in a secure area. Keep container tightly closed.

Strong acids, strong bases, strong oxidizers.

Incompatible Materials

7.3. Specific End Use(S) For professional use only

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

1-Propanamine, 3-(triethoxysilyl)- (919-30-2)			
		00 1 -2	
Finland	HTP (OEL TWA) [1]	28 mg/m³	
Finland	HTP (OEL TWA) [2]	3 ppm	
Finland	HTP (OEL STEL)	55 mg/m³	
Finland	HTP (OEL STEL) [ppm]	6 ppm	
Tin organic compounds			
Austria	MAK (OEL TWA)	0,1 mg/m³ (except tri-n-Butyltin compounds-inhalable fraction)	
Austria	MAK (OEL STEL)	0,2 mg/m³ (except Tri-n-butyltin compounds-inhalable fraction)	
Austria	Chemical category	Skin notation except Tri-n-butyItin compounds	
Belgium	OEL TWA	0,1 mg/m³	
Belgium	OEL STEL	0,2 mg/m³	
Belgium	Chemical category	Skin	
Bulgaria	OEL TWA	0,1 mg/m³	
Croatia	GVI (OEL TWA) [1]	0,1 mg/m³ (except Cyhexatin)	
Croatia	KGVI (OEL STEL)	0,2 mg/m³ (except Cyhexatin)	
Czech Republic	PEL (OEL TWA)	0,1 mg/m³	
Czech Republic	Chemical category	Potential for cutaneous absorption	
Denmark	OEL TWA [1]	0,1 mg/m³ (except Tri-n-butyltin compounds)	
Estonia	OEL TWA	0,1 mg/m³	
Estonia	OEL STEL	0,2 mg/m³	
Estonia	Chemical category	Skin notation	
Finland	HTP (OEL TWA) [1]	0,1 mg/m³	
Finland	HTP (OEL STEL)	0,3 mg/m³	
Finland	Chemical category	Potential for cutaneous absorption	
France	VLE (OEL C/STEL)	0,2 mg/m³	
France	VME (OEL TWA)	0,1 mg/m³	
Greece	OEL TWA	0,1 mg/m³	
Greece	OEL STEL	0,2 mg/m³	
Greece	Chemical category	skin - potential for cutaneous absorption	
Hungary	AK (OEL TWA)	0,05 mg/m³	

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

		0,002 mg/m³
Hungary	CK (OEL STEL)	0,4 mg/m³
Hungary	Chemical category	Potential for cutaneous absorption
Ireland	OEL TWA [1]	0,1 mg/m³
Ireland	OEL STEL	0,2 mg/m³
Lithuania	IPRV (OEL TWA)	0,1 mg/m³
Lithuania	TPRV (OEL STEL)	0,2 mg/m³
Lithuania	Chemical category	Skin notation
Norway	Grenseverdi (OEL TWA) [1]	0,1 mg/m³
Norway	Korttidsverdi (OEL STEL)	0,3 mg/m³ (value calculated)
Norway	Chemical category	Skin notation
Portugal	OEL TWA	0,1 mg/m³
Portugal	OEL STEL	0,2 mg/m³
Portugal	Chemical category	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure
Romania	OEL TWA	0,05 mg/m³
Romania	OEL STEL	0,15 mg/m ³
Slovakia	NPHV (OEL TWA) [1]	0,1 mg/m³
Slovakia	NPHV (OEL C)	0,2 mg/m³
Slovakia	Chemical category	Potential for cutaneous absorption
Spain	VLA-ED (OEL TWA) [1]	0,1 mg/m³
Spain	VLA-EC (OEL STEL)	0,2 mg/m³
Spain	Chemical category	skin - potential for cutaneous absorption
Sweden	NGV (OEL TWA)	0,1 mg/m³ (total dust)
Sweden	KTV (OEL STEL)	0,2 mg/m³ (total dust)
Sweden	Chemical category	Skin notation
Switzerland	KZGW (OEL STEL)	0,2 mg/m³ (inhalable dust)
Switzerland	MAK (OEL TWA) [1]	0,1 mg/m³ (inhalable dust)
Switzerland	Chemical category	Skin notation
United Kingdom	WEL TWA (OEL TWA) [1]	0,1 mg/m³ (except Cyhexatin)
United Kingdom	WEL STEL (OEL STEL)	0,2 mg/m³ (except Cyhexatin)
United Kingdom	WEL chemical category	Potential for cutaneous absorption except Cyhexatin

8.2. Exposure Controls

Appropriate Engineering Controls

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapours may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment.

Personal Protective Equipment Gloves. Protective clothing. Protective goggles. Insufficient

ventilation: wear respiratory protection.









Materials for Protective Clothing

Chemically resistant materials and fabrics. Wear fire/flame

resistant/retardant clothing.

Hand Protection Wear protective gloves. Eye Protection Chemical safety goggles.

Skin and Body Protection Wear suitable protective clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of

inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory

protection.

Other Information When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Hazards

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid
Colour Black
Odour Solvent

Odour Threshold

PH

No data available

Flash Point 17 °C (63 °F) No data available **Auto-Ignition Temperature Decomposition Temperature** No data available Flammability (Solid, Gas) Not applicable Vapour Pressure No data available Relative Vapour Density At 20 °C No data available Relative Density < 1 (water = 1)No data available Solubility Partition Coefficient n-Octanol/Water No data available

Viscosity, Kinematic
Viscosity, Dynamic
Explosive Properties
Oxidising Properties
No data available

9.2. Other Information

VOC content 20 – 40 %

11/06/2021 EN (English) 8/14

SECTION 10: Stability and Reactivity

10.1. Reactivity

Reacts violently with strong oxidisers. Increased risk of fire or explosion.

10.2. Chemical Stability

Highly flammable liquid and vapour. May form flammable or explosive vapour-air mixture.

10.3. Possibility Of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions To Avoid

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

None expected under normal conditions of use.

SECTION 11: Toxicological Information

11.1. Information On Toxicological Effects

Acute Toxicity Not classified (Based on available data, the classification

criteria are not met)

soalkanes, cyclics 173851-33	
> 5000 mg/kg	
3000 mg/kg	
yne)trioxime (22984-54-9)	
2463 mg/kg	
> 2000 mg/kg	
919-30-2)	
1570 mg/kg	
4290 mg/kg	
> 7,35 mg/I/4h (No mortality observed)	
nanediamine (1760-24-3)	
2295 mg/kg	
> 2000 mg/kg	
> 1,49 mg/l/4h	
175 mg/kg	
> 2 g/kg	
Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met)	

11/06/2021 EN (English) 9/14

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reproductive Toxicity Not classified (Based on available data, the classification

criteria are not met)

Specific Target Organ Toxicity

May cause drowsiness or dizziness.

(Single Exposure)

Specific Target Organ Toxicity (Repeated

Not classified (Based on available data, the

Exposure)

classification criteria are not met)

Aspiration Hazard May be fatal if swallowed and enters airways.

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Toxic to aquatic life with long lasting effects.

2-Butanone, O,O',O"-(methylsilylidyne)trioxime (22984-54-9)			
EC50 - Crustacea [1]	120 mg/l (Exposure time: 48h - Species: Daphnia magna)		
1-Propanamine, 3-(triethoxysilyl)- (919-30-2)			
LC50 Fish 1	934 mg/l (Danio rerio)		
EC50 - Crustacea [1]	331 mg/l		
ErC50 (Algae)	1000 mg/l (Scenedesmus subspicatus)		
NOEC Chronic Fish	934 mg/l (Danio rerio)		
NOEC Chronic Crustacea	94 mg/l (Daphnia magna)		
N-[3-(TrimethoxysilyI)propyI]-1,2-ethanediamine (1760-24-3)			
LC50 Fish 1	597 mg/l (Species: Danio rerio)		
EC50 - Crustacea [1]	81 mg/l		
ErC50 (Algae)	8,8 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata)		
NOEC Chronic Fish	344 mg/l		
NOEC Chronic Crustacea	35 mg/l		
NOEC Chronic Algae	3,1 mg/l (Pseudokirchnerella subcapitata Exposure time: 96h)		
Dibutyltin dilaurate (77-58-7)			
EC50 - Crustacea [1]	0,463 mg/l (Daphnia magna)		

12.2. Persistence and Degradability

CV1-1146-2	•
Persistence and Degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative Potential

CV1-1146-2	
Bioaccumulative potential	Not established.
Dibutyltin dilaurate (77-58-7)	
Partition coefficient n- octanol/water (Log Pow)	4,44

12.4. Mobility in Soil

No additional information available

12.5. Results of PBT and vPvB assessment

CV1-1146-2
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other Adverse Effects

Other Information Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Product/Packaging Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Additional Information Handle empty containers with care because residual vapours

are flammable.

Ecology - Waste Materials Avoid release to the environment. This material is hazardous to

the aquatic environment. Keep out of sewers and waterways.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID	
14.1. UN Numbe	14.1. UN Number				
1268	1268	1268	1268	1268	
14.2. UN Proper S	Shipping Name				
PETROLEUM	PETROLEUM	PETROLEUM	PETROLEUM	PETROLEUM	
DISTILLATES,	DISTILLATES,	DISTILLATES,	DISTILLATES,	DISTILLATES,	
N.O.S.	N.O.S.	N.O.S.	N.O.S.	N.O.S.	
14.3. Transport H	azard Class(Es)				
3	3	3	3	3	
•	3	3	•	3	
14.4. Packing Gr	oup				
14.5. Environmental Hazards					
Dangerous for the environment : Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	

14.6. Special Precautions For User

No additional information available

14.7. Transport in Bulk According to Annex II of MARPOL and The IBC Code

Not applicable

SECTION 15: Regulatory Information

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National Regulations

No additional information available

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out

SECTION 16: Other Information

Indication of Changes

Section	Section Header	Change	Date Changed
1	Identification of the substance/mixture and of the	Modified	11/06/2021
	company/undertaking		
2	Hazards identification	Modified	11/06/2021
3	Composition/information on ingredients	Modified	11/06/2021
4	First aid measures	Modified	11/06/2021
7	Handling and storage	Modified	11/06/2021
8	Exposure controls	Modified	11/06/2021
9	Physical and chemical properties	Modified	11/06/2021
10	Stability and reactivity	Modified	11/06/2021
11	Toxicological information	Modified	11/06/2021
12.	Ecological information	Modified	11/06/2021
13	Disposal considerations	Modified	11/06/2021
14	Transport information	Modified	11/06/2021
15	Regulatory information	Modified	11/06/2021

Date of Preparation or Latest

Revision

Data Sources

11/06/2021

Information and data obtained and used in the authoring of

this safety data sheet could come from database subscriptions,

official government regulatory body websites,

product/ingredient manufacturer or supplier specific

information, and/or resources that include substance specific data and classifications according to GHS or their subsequent

adoption of GHS.

Other Information According to Regulation (EC) No. 1907/2006 (REACH) with its

amendment Regulation (EU) 2015/830

Full Text of H- and EUH-statements:

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute
	Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic
	Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic
	Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H360	May damage fertility or the unborn child.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	
	Toxic to aquatic life with long lasting effects.

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists

ADN – European Agreement Concerning the International Carriage of Dangerous

Goods by Inland Waterways

ADR - European Agreement Concerning the International Carriage of Dangerous

Card by Name of Concerning the International Carriage of Dangerous

Goods by Road ATE - Acute Toxicity Estimate BCF - Bioconcentration Factor

BEI - Biological Exposure Indices (BEI) BOD – Biochemical Oxygen Demand CAS No. - Chemical Abstracts Service Number

CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008 COD – Chemical Oxygen Demand EC – European Community

EC50 - Median Effective Concentration
EEC - European Economic Community
EINECS - European Inventory of Existing Commercial Chemical Substances
EmS-No. (Fire) - IMDG Emergency Schedule Fire
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage

NDS - Najwyzsze Dopuszczalne Stezenie NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration

NRD - Nevirsytinas Ribinis Dydis NTP – National Toxicology Program OEL - Occupational Exposure Limits PBT - Persistent, Bioaccumulative and Toxic

PEL - Permissible Exposure Limit

pH – Potential Hydrogen REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail

SADT - Self Accelerating Decomposition Temperature SDS - Safety Data Sheet

STEL - Short Term Exposure Limit STOT - Specific Target Organ Toxicity TA-Luft - Technische Anleitung zur Reinhaltung der Luft

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EU – European Union

ErC50 - EC50 in Terms of Reduction Growth Rate

GHS - Globally Harmonized System of Classification and Labeling of Chemicals

IARC - International Agency for Research on Cancer IATA - International Air Transport Association IBC Code - International Bulk Chemical Code

IMDG - International Maritime Dangerous Goods

IPRV - Ilaalaikio Poveikio Ribinis Dydis

IOELV – Indicative Occupational Exposure Limit Value

LC50 - Median Lethal Concentration

LD50 - Median Lethal Dose

LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration

Log Koc - Soil Organic Carbon-water Partitioning Coefficient

Log Kow - Octanol/water Partition Coefficient

Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a twophase system consisting of two largely immiscible solvents, in this case octanol and

MAK - Maximum Workplace Concentration/Maximum Permissible Concentration MARPOL - International Convention for the Prevention of Pollution

TEL TRK - Technical Guidance Concentrations

ThOD – Theoretical Oxygen Dem TLM - Median Tolerance Limit

TLV - Threshold Limit Value

TPRD - Trumpalaikio Poveikio Ribinis Dydis

TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in

ortsbeweglichen Behältern

TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine

TRGS 900 - Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte

TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC - Volatile Organic Compounds

VLA-EC - Valor Límite Ambiental Exposición de Corta Duración

VLA-ED - Valor Límite Ambiental Exposición Diaria

VLE - Valeur Limite D'exposition

VME – Valeur Limite De Moyenne Exposition

vPvB - Very Persistent and Very Bioaccumulative

WEL - Workplace Exposure Limit WGK - Wassergefährdungsklasse

Nusil EU GHS SDS

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLYDISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.



Silicone Sales & Services UK - Ireland - Benelux

© 2022 - Polymer Systems Technology Limited™ Unit 2. Network 4. Cressex Business Park, Lincoln Road, High Wycombe, Bucks. HP12 3RF

tel: +44 (0) 1494 446610

web: https://www.silicone-polymers.com

email: sales@silicone-polymers.co.uk

