

#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 03/01/2020 Date of issue: 13/09/2013

Version: 5.0

## SECTION 1: Identification of the Substance/mixture and of the Company/Undertaking

#### **Product Identifier** 1.1.

Product form Mixture Product Name MED-6671 Synonyms Silicone Coating

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

#### 1.2.1. Relevant Identified Uses

Use of the Substance/Mixture For professional use only.

#### 1.2.2. Uses Advised Against

No additional information available

#### Details of the Supplier of the Safety Data Sheet

NuSil Technology Europe 1198 Avenue Maurice Donat Le Natura Bt. 2 06250 Mougins France +33 4 92 96 93 31

ehs@nusil.com

www.nusil.com

#### **Emergency Telephone Number**

: 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC **Emergency Number** 

(International and Maritime)

+(44)-870-8200418 +(353)-19014670

#### **SECTION 2: Hazards Identification**

#### Classification of the Substance or Mixture 2.1.

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225 Skin Corr. 1B H314 Eve Dam. 1 H318 Repr. 1B H360 Aquatic Chronic 3 H412

Full text of hazard classes and H-statements: see section 16

#### Label Elements 2.2.

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard Pictograms (CLP)





GHS05

Signal Word (CLP)

tert-Butyl acetate; Silanetriol, ethyl-, triacetate; Silanetriol, Hazardous Ingredients

methyl-, triacetate; Dibutyltin diacetate

03/01/2020 EN (English) 1/14 According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard Statements (CLP) H225 - Highly flammable liquid and vapour.

H314 - Causes severe skin burns and eye damage.

H360 - May damage fertility or the unborn child.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statements (CLP)

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P240 - Ground and bond container and receiving equipment.

P241 - Use explosion-proof electrical, ventilating, and lighting equipment.

P242 - Use non-sparking tools.

P243 - Take action to prevent static discharges.

P260 - Do not breathe mist, spray, vapours.

P264 - Wash hands, forearms, and exposed areas thoroughly after handling/

P273 - Avoid release to the environment.

P280 - Wear eye protection, face protection, protective clothing, protective gloves.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

P310 - Immediately call a POISON CENTER or doctor P321 - Specific treatment (see Section 4 on this SDS)

P370+P378 - In case of fire: Use carbon dioxide (CO2), sand, foam to extinguish

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

EUH014 - Reacts violently with water.

EUH066 - Repeated exposure may cause skin dryness or crackina.

EUH208 - Contains Dibutyltin diacetate (1067-33-0). May produce an allergic reaction.

#### 2.3. Other Hazards

**EUH-statements** 

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

03/01/2020 EN (English) 2/14

## **SECTION 3: Composition/Information on Ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product Identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
tert-Butyl acetate substance with national workplace exposure limit(s) (AT, BE, CH, CZ, DE, DK, ES, FI, FR, GB, GR, IE, LV, PL, PT, SE, SK)	(CAS-No.) 540-88-5 (EC-No.) 208-760-7 (EC Index-No.) 607-026-00-7	70 - 80	Flam. Liq. 2, H225
Silanetriol, ethyl-, triacetate	(CAS-No.) 17689-77-9 (EC-No.) 241-677-4	10 - 20	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318
Silanetriol, methyl-, triacetate	(CAS-No.) 4253-34-3 (EC-No.) 224-221-9	< 10	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318
Dibutyltin diacetate	(CAS-No.) 1067-33-0 (EC-No.) 213-928-8	< 1	Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317 Muta. 2, H341 Repr. 1B, H360 STOT SE 1, H370 STOT RE 1, H372 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

## **SECTION 4: First Aid Measures**

#### 4.1. Description of First-aid Measures

4.1. Description of First-ala N	nedsures .
First-Aid Measures General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-Aid Measures After Inhalation	When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention.
First-Aid Measures After Skin Contact	Remove contaminated clothing. Rinse cautiously with water for at least 30 minutes. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse.
First-Aid Measures After Eye Contact	Rinse cautiously with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

03/01/2020 EN (English) 3/14

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-Aid Measures After Rinse mouth. Do NOT induce vomiting. Obtain medical

Ingestion attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Effects Causes severe skin burns and eye damage. May damage

fertility. May damage the unborn child.

Symptoms/Effects After May be corrosive to the respiratory tract.

Inhalation

Symptoms/Effects After Skin Causes severe irritation which will progress to chemical burns.

Contact

Symptoms/Effects After Eye Causes permanent damage to the cornea, iris, or conjunctiva.

Contact

Symptoms/Effects After May cause burns or irritation of the linings of the mouth, throat,

Ingestion and gastrointestinal tract.

Chronic Symptoms May damage fertility or the unborn child.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

#### **SECTION 5: Firefighting Measures**

5.1. Extinguishing Media

Suitable Extinguishing Media Dry chemical powder, alcohol-resistant foam, carbon dioxide

(CO<sub>2</sub>). Water may be ineffective but water should be used to

keep fire-exposed container cool.

Unsuitable Extinguishing Media Do not use a heavy water stream. A heavy water stream may

spread burning liquid.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Highly flammable liquid and vapour.

Explosion Hazard May form flammable or explosive vapour-air mixture.

Reactivity Reacts violently with strong oxidisers. Increased risk of fire or

explosion. May react exothermically with water releasing heat.

Adding an acid to a base or base to an acid may cause a

violent reaction.

Hazardous Decomposition Products in Case of Fire

Carbon oxides (CO, CO<sub>2</sub>). Silicon oxides.

5.3. Advice for Firefighters

Precautionary Measures Fire Exercise caution when fighting any chemical fire.

of major fire and large quantities: Evacuate area. Fight fire

remotely due to the risk of explosion.

Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

Other Information Do not allow run-off from fire fighting to enter drains or water

courses.

03/01/2020 EN (Enalish) 4/14

#### SECTION 6: Accidental Release Measures

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures Do not get in eyes, on skin, or on clothing. Keep away from

heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric

charges. Do not breathe vapour, mist or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE). Emergency Procedures Evacuate unnecessary personnel. Stop leak if safe to do so.

**6.1.2.** For Emergency Responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures

Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself

and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

Eliminate ignition sources.

#### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

#### 6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams. As an immediate

precautionary measure, isolate spill or leak area in all directions.

Ventilate area.

Methods For Cleaning Up Clean up spills immediately and dispose of waste safely.

Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-

sparking tools. Cautiously neutralize spilled liquid.

#### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## **SECTION 7: Handling And Storage**

#### 7.1. Precautions for Safe Handling

Additional Hazards When Handle empty containers with care because residual vapours

Processed are flammable. May release corrosive vapours.

Precautions for Safe Handling Wash hands and other exposed areas with mild soap and

water before eating, drinking or smoking and when leaving work. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area. Do not get in eyes, on skin, or on clothing. Handle empty containers with care because they may still present a hazard. Do not breathe vapour, mist, spray. Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood.

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

03/01/2020 EN (English) 5/14

#### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations. Take action to prevent

static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and

lighting equipment.

Storage Conditions Store in a dry, cool place. Keep/Store away from direct sunlight,

extremely high or low temperatures and incompatible materials. Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place. Store in original container or corrosive resistant and/or lined container.

Incompatible Materials Strong acids, strong bases, strong oxidizers.

#### 7.3. Specific End Use(S)

Provides a RTV, low-friction coating on cured silicone substrates. For professional use only.

## **SECTION 8: Exposure Controls/Personal Protection**

#### 8.1. Control Parameters

tert-Butyl acetate (540-8	8-5)	
Austria	MAK (mg/m³)	96 mg/m³
Austria	MAK (ppm)	20 ppm
Austria	MAK Short time value (mg/m³)	96 mg/m³
Austria	MAK Short time value (ppm)	20 ppm
Austria	OEL - Ceilings (mg/m³)	96 mg/m³
Austria	OEL - Ceilings (ppm)	20 ppm
Belgium	Limit value (mg/m³)	238 mg/m³
Belgium	Limit value (ppm)	50 ppm
Belgium	Short time value (mg/m³)	712 mg/m³
Belgium	Short time value (ppm)	150 ppm
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	966 mg/m³
Croatia	GVI (granična vrijednost izloženosti) (ppm)	200 ppm
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m³)	1210 mg/m³
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	250 ppm
Czech Republic	Expoziční limity (PEL) (mg/m³)	950 mg/m³
Denmark	Grænseværdie (langvarig) (mg/m³)	710 mg/m³ (Butyl acetate, all isomers)
Denmark	Grænseværdie (langvarig) (ppm)	150 ppm (Butyl acetate, all isomers)
Finland	HTP-arvo (8h) (mg/m³)	720 mg/m³ (Butyl acetate)
Finland	HTP-arvo (8h) (ppm)	150 ppm (Butyl acetate)
Finland	HTP-arvo (15 min)	960 mg/m³ (Butyl acetate)
Finland	HTP-arvo (15 min) (ppm)	200 ppm (Butyl acetate)
France	VME (mg/m³)	950 mg/m³

03/01/2020 EN (English) 6/1-

Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

France	VME (ppm)	200 ppm
Germany	Occupational exposure limit value (mg/m³)	96 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	Occupational exposure limit value (ppm)	20 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Greece	OEL TWA (mg/m³)	950 mg/m³
Greece	OEL TWA (ppm)	200 ppm
Greece	OEL STEL (mg/m³)	1190 mg/m³
Greece	OEL STEL (ppm)	250 ppm
Ireland	OEL (8 hours ref) (mg/m³)	950 mg/m³
Ireland	OEL (8 hours ref) (ppm)	200 ppm
Ireland	OEL (15 min ref) (ppm)	600 ppm (calculated)
Latvia	OEL TWA (mg/m³)	200 mg/m³
Poland	NDS (mg/m³)	900 mg/m³
Poland	NDSCh (mg/m³)	900 mg/m³
Portugal	OEL TWA (ppm)	200 ppm
Slovakia	NPHV (priemerná) (mg/m³)	500 mg/m³
Slovakia	NPHV (priemerná) (ppm)	100 ppm
Slovakia	NPHV (Hraničná) (mg/m³)	384 mg/m³
Slovenia	OEL TWA (mg/m³)	96 mg/m³
Slovenia	OEL TWA (ppm)	20 ppm
Slovenia	OEL STEL (mg/m³)	96 mg/m³
Slovenia	OEL STEL (ppm)	20 ppm
Spain	VLA-ED (mg/m³)	966 mg/m³
Spain	VLA-ED (ppm)	200 ppm
Sweden	nivågränsvärde (NVG) (mg/m³)	500 mg/m³ (Butyl acetates)
Sweden	nivågränsvärde (NVG) (ppm)	100 ppm (Butyl acetates)
Sweden	kortidsvärde (KTV) (mg/m³)	700 mg/m³ (Butyl acetates)
Sweden	kortidsvärde (KTV) (ppm)	150 ppm (Butyl acetates)
Switzerland	KZGW (mg/m³)	480 mg/m³
Switzerland	KZGW (ppm)	100 ppm
Switzerland	MAK (mg/m³)	240 mg/m³
Switzerland	MAK (ppm)	50 ppm
United Kingdom	WEL TWA (mg/m³)	966 mg/m³
United Kingdom	WEL TWA (ppm)	200 ppm
United Kingdom	WEL STEL (mg/m³)	1210 mg/m³
United Kingdom	WEL STEL (ppm)	250 ppm

#### 8.2. Exposure Controls

Appropriate Engineering Controls

available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapors may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Gas detectors should be used when toxic gases may be

Emergency eye wash fountains and safety showers should be

released.

Personal Protective Equipment

Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection. Face shield.











Materials for Protective Clothing

Hand Protection Eye Protection Skin and Body Protection Respiratory Protection

Viscosity, Kinematic

Chemically resistant materials and fabrics. Wear fire/flame resistant/retardant clothing. Corrosion-proof clothing.

Wear protective gloves.

Chemical safety goggles and face shield.

Wear suitable protective clothing.

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory

protection.

Other Information When using, do not eat, drink or smoke.

## **SECTION 9: Physical and Chemical Hazards**

#### 9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid
Colour Off-white
Odour Sweet

Odour Threshold

pH

No data available

**Auto-Ignition Temperature** No data available **Decomposition Temperature** No data available Flammability (Solid, Gas) Not applicable Vapour Pressure No data available Relative Vapour Density At 20 °C No data available Relative Density < 1 (water= 1)Solubility No data available Partition Coefficient n-Octanol/Water No data available

03/01/2020 EN (English) 8/14

No data available

#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Viscosity, Dynamic	No data available
Explosive Properties	No data available
Oxidising Properties	No data available
Explosive Limits	No data available

#### 9.2. Other Information

VOC content 70 - 80 %

#### **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity

Reacts violently with strong oxidisers. Increased risk of fire or explosion. May react exothermically with water releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction.

#### 10.2. Chemical Stability

Extremely flammable liquid and vapour. May form flammable or explosive vapour-air mixture.

#### 10.3. Possibility Of Hazardous Reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions To Avoid

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

#### 10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

#### 10.6. Hazardous Decomposition Products

Thermal decomposition generates: Corrosive vapours.

## **SECTION 11: Toxicological Information**

#### 11.1. Information On Toxicological Effects

Acute Toxicity

Not classified (Based on available data, the classification criteria are not met)

	chiena die normer)
tert-Butyl acetate (540-88-5)	
LD50 Oral Rat	4500 mg/kg
LD50 Oral	3300 mg/kg
LD50 Dermal Rabbit	> 2000
LC50 Inhalation Rat	> 9482 mg/m³ (Exposure time: 4 h)
LC50 Inhalation Rat	5157 ppm/4h
LC50 Inhalation Rat	13,3 mg/l/4h
Silanetriol, ethyl-, triacetate (17689-77-9)	
LD50 Oral Rat	1460 mg/kg
LD50 Oral	1462 mg/kg
Silanetriol, methyl-, triacetate (425	53-34-3)
LD50 Oral Rat	1437 - 1780 mg/kg
LD50 Oral	1602 mg/kg
Dibutyltin diacetate (1067-33-0)	
LD50 Oral	32 mg/kg
Skin Corrosion/Irritation Eye Damage/Irritation	Causes severe skin burns and eye damage. Causes serious eye damage.

03/01/2020 EN (English) 9/14

#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory or Skin Sensitization Not classified

Based on available data, the classification criteria are not met

Germ Cell Mutagenicity Not classified

Based on available data, the classification criteria are not met

Not classified

Based on available data, the classification criteria are not met

Reproductive Toxicity

May damage fertility or the unborn child.

Specific Target Organ Toxicity

Not classified

(Single Exposure)

Carcinogenicity

Based on available data, the classification criteria are not

met

Not classified

Specific Target Organ Toxicity (Repeated

Not classified

Exposure)

Based on available data, the classification criteria

are not met

Aspiration Hazard

Based on available data, the classification criteria are not met

## **SECTION 12: Ecological Information**

#### 12.1. Toxicity

Ecology - General Harmful to aquatic life with long lasting effects.

tert-Butyl acetate (540-88-5)	
LC50 Fish 1	296 - 362 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
Dibutyltin diacetate (1067-33-0)	
EC50 Chronic	0,035 mg/l Exposure time: 72 hour (Species: Skeletonema costatum)
NOEC (Acute)	0,65 mg/l
NOEC Chronic Crustacea	0,32 mg/l (48-Hour EC50 Daphnia magna)

#### 12.2. Persistence and Degradability

MED-6671	
Persistence and Degradability	May cause long-term adverse effects in the environment.
Dibutyltin diacetate (1067-33-0)	
Persistence and Degradability	Not established.

#### 12.3. Bioaccumulative Potential

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
MED-6671			
Bioaccumulative potential	Not established.		
tert-Butyl acetate (540-88-5)	tert-Butyl acetate (540-88-5)		
Log Pow	1,38		
Silanetriol, methyl-, triacetate (4253-34-3)			
Log Pow 0,25 KowWin			
Dibutyltin diacetate (1067-33-0)			
Bioaccumulative Potential	Not established.		

#### 12.4. Mobility in Soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

03/01/2020 EN (English) 10/14

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 12.6. Other Adverse Effects

Other Information Avoid release to the environment.

## **SECTION 13: Disposal Considerations**

#### 13.1. Waste Treatment Methods

Product/Packaging Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Additional Information Handle empty containers with care because residual vapours

are flammable.

the aquatic environment. Keep out of sewers and waterways.

#### **SECTION 14: Transport Information**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN Number				
2924	2924	2924	2924	2924
14.2. UN Proper	Shipping Name			
FLAMMABLE	FLAMMABLE	FLAMMABLE	FLAMMABLE	FLAMMABLE
LIQUID,	LIQUID,	LIQUID,	LIQUID,	LIQUID,
CORROSIVE,	CORROSIVE,	CORROSIVE,	CORROSIVE,	CORROSIVE,
N.O.S.	N.O.S.	N.O.S.	N.O.S.	N.O.S.
(CONTAINS:	(CONTAINS:	(CONTAINS:	(CONTAINS:	(CONTAINS:
Silanetriol, ethyl-,	Silanetriol, ethyl-,	Silanetriol, ethyl-,	Silanetriol, ethyl-,	Silanetriol, ethyl-,
triacetate;	triacetate;	triacetate;	triacetate;	triacetate;
Silanetriol,	Silanetriol,	Silanetriol,	Silanetriol,	Silanetriol,
methyl-,	methyl-,	methyl-,	methyl-,	methyl-,
triacetate)	triacetate)	triacetate)	triacetate)	triacetate)
14.3. Transport H	lazard Class(Es)			
3 (8)	3 (8)	3 (8)	3 (8)	3 (8)
	3			
14.4. Packing G	roup			
II		II	II	II
14.5. Environmental Hazards				
Dangerous for	Dangerous for	Dangerous for	Dangerous for	Dangerous for
the environment	the environment	the environment	the environment	the environment
: No	: No	: No	: No	: No
	Marine pollutant : No			

#### 14.6. Special Precautions For User

No additional information available

## 14.7. Transport in Bulk According to Annex II of MARPOL and The IBC Code

Not applicable

#### **SECTION 15: Regulatory Information**

# 15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

#### 15.1.2. National Regulations

No additional information available

#### 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other Information**

#### **Indication of Changes**

Section	Section Header	Change	Date Changed
1	Identification of the Substance/mixture and of the	Modified	03/01/2020
	Company/Undertaking		
2	Hazards identification	Modified	03/01/2020
3	Composition/information on ingredients	Modified	03/01/2020
4	First aid measures	Modified	03/01/2020
5	Firefighting measures	Modified	03/01/2020
9	Physical and chemical properties	Modified	03/01/2020
10	Stability and reactivity	Modified	03/01/2020
11	Toxicological information	Modified	03/01/2020
14	Transport information	Modified	03/01/2020

Date of Preparation or Latest

Revision

Data Sources

03/01/2020

Information and data obtained and used in the authoring of

this safety data sheet could come from database subscriptions, official government regulatory body websites,

product/ingredient manufacturer or supplier specific

information, and/or resources that include substance specific data and classifications according to GHS or their subsequent

adoption of GHS.

Other Information According to Regulation (EC) No. 1907/2006 (REACH) with its

amendment Regulation (EU) 2015/830

#### Full Text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 1B	Reproductive toxicity, Category 1B

EUH208	Contains Dibutyltin diacetate (1067-33-0). May produce an
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH014	Reacts violently with water.
H412	Harmful to aquatic life with long lasting effects.
H410	Very toxic to aquatic life with long lasting effects.
П3/ Z	Causes damage to organs through prolonged or repeated exposure.
H372	Causes damage to organs through prolonged or reported
H370	
H360	May damage fertility or the unborn child.
H341	Causes serious eye damage.  Suspected of causing genetic defects.
H318	,
H317	May cause an allergic skin reaction.
H314	Causes severe skin burns and eye damage.
H302	Harmful if swallowed.
H225	Highly flammable liquid and vapour.
STOT SE 1	Specific target organ toxicity — Single exposure, Category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category
Skin Sens. 1B	Skin sensitisation, category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1C
Skin Corr. 1B	Skin corrosion/irritation, Category 1B

#### Abbreviations and Acronyms

ACGIH - American Conference of Governmental Industrial Hygienists

ADN - European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR - European Agreement Concerning the International Carriage of Dangerous

Goods by Road

ATE - Acute Toxicity Estimate - Bioconcentration Factor

BEI - Biological Exposure Indices (BEI)

BOD - Biochemical Oxygen Demand

CAS No. - Chemical Abstracts Service Number CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008

COD - Chemical Oxygen Demand

EC - European Community

EC50 - Median Effective Concentration

EEC - European Economic Community

EINECS - European Inventory of Existing Commercial Chemical Substances EmS-No. (Fire) - IMDG Emergency Schedule Fire

EmS-No. (Spillage) - IMDG Emergency Schedule Spillage

EU - European Union

ErC50 - EC50 in Terms of Reduction Growth Rate

GHS – Globally Harmonized System of Classification and Labeling of Chemicals IARC - International Agency for Research on Cancer

IATA - International Air Transport Association

IBC Code - International Bulk Chemical Code

IMDG - International Maritime Dangerous Goods

IPRV - Ilgalaikio Poveikio Ribinis Dydis IOELV – Indicative Occupational Exposure Limit Value

LC50 - Median Lethal Concentration

LD50 - Median Lethal Dose

LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration

Log Koc - Soil Organic Carbon-water Partitioning Coefficient

Log Kow - Octanol/water Partition Coefficient

Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol

MAK - Maximum Workplace Concentration/Maximum Permissible Concentration

MARPOL - International Convention for the Prevention of Pollution

NDS - Najwyzsze Dopuszczalne Stezenie

NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Naiwyzsze Dopuszczalne Stezenie Pulapowe

NOAEL - No-Observed Adverse Effect Level

NOEC - No-Observed Effect Concentration

NRD - Nevirsytinas Ribinis Dydis

NTP – National Toxicology Program

OEL - Occupational Exposure Limits
PBT - Persistent, Bioaccumulative and Toxic

PEL - Permissible Exposure Limit

pH - Potential Hydrogen

REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals

RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail

SADT - Self Accelerating Decomposition Temperature

SDS - Safety Data Sheet

STEL - Short Term Exposure Limit

STOT - Specific Target Organ Toxicity

TA-Luft - Technische Anleitung zur Reinhaltung der Luft TEL TRK – Technical Guidance Concentrations

ThOD – Theoretical Oxygen Demand

TLM - Median Tolerance Limit TLV - Threshold Limit Value

TPRD - Trumpalaikio Poveikio Ribinis Dydis

TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in

ortsbeweglichen Behältern

TRCS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine TRGS 900 - Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte

TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte

TSCA - Toxic Substances Control Act

TWA - Time Weighted Average

VVOC – Volatile Organic Compounds VLA-EC - Valor Límite Ambiental Exposición de Corta Duración

VLA-ED - Valor Límite Ambiental Exposición Diaria

VLE – Valeur Limite D'exposition
VME – Valeur Limite De Moyenne Exposition

vPvB - Very Persistent and Very Bioaccumulative

WEL - Workplace Exposure Limit

WGK - Wassergefährdungsklasse

Nusil FU GHS SDS

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLYDISCLAIMS ANY AND ALL

#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.



# Silicone Sales & Services UK - Ireland - Benelux

© 2022 - Polymer Systems Technology Limited™ Unit 2. Network 4. Cressex Business Park, Lincoln Road, High Wycombe, Bucks. HP12 3RF

tel: +44 (0) 1494 446610

web: https://www.silicone-polymers.com

email: sales@silicone-polymers.co.uk

