Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: Date of issue: 16/01/2018 13/12/2013

Version: 4.0

avantor

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product Name Synonyms Mixture CV-2680-12 Part A Controlled volatility film adhesive

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses Use of the substance/mixture

For professional use only.

1.2.2. Uses advised against

No additional information available **1.3. Details of the supplier of the safety data sheet** NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 ehs@nusil.com www.nusil.com **1.4. Emergency telephone number** Emergency : 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and number Maritime)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Not classified
2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] No labelling applicable

2.3. Other Hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Glass, oxide, chemicals	(CAS-No.) 65997-17-3 (EC-No.) 266-046-0	5 - 10	Not classified

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.	
First-aid measures after skin contact	Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.	
First-aid measures after eye contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.	
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects	Not expected to present a significant hazard under anticipated conditions of normal use.	
Symptoms/effects after inhalation	Prolonged exposure may cause irritation.	
Symptoms/effects after skin contact	Prolonged exposure may cause skin irritation.	
Symptoms/effects after eye contact	May cause slight irritation to eyes.	
Symptoms/effects after ingestion	Ingestion may cause adverse effects.	
Chronic symptoms	None expected under normal conditions of use.	
4.3. Indication of any immediate medical attention and special treatment needed		

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1. Eximyuishing media	
Suitable extinguishing media	Water spray, dry chemical, foam, carbon dioxide.
Unsuitable extinguishing media	Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special hazards arising fro	om the substance or mixture
Fire hazard	Not considered flammable but may burn at high temperatures.
Explosion hazard	Product is not explosive.
Reactivity	Hazardous reactions will not occur under normal conditions.
5.3. Advice for firefighters	
Precautionary measures fire	Exercise caution when fighting any chemical fire.
Firefighting instructions	Use water spray or fog for cooling exposed containers.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	Refer to Section 9 for flammability properties.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

EN (English)

General measures	Avoid prolonged contact with eyes, skin and clothing. Avoid breathing dust.
6.1.1.For non-emergency person	nel
Protective equipment	Use appropriate personal protective equipment (PPE).
Emergency procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	Equip cleanup crew with proper protection.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Emergency procedures	Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public v	
6.3. Methods and material for c	ontainment and cleaning up
For containment	Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.
Methods for cleaning up	Clean up spills immediately and dispose of waste safely. Recover the product by vacuuming, shoveling or sweeping. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.
6.4. Reference to other sections	
See Section 8 for exposure controls of	and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	ng	
Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing dust.	
Hygiene measures	Handle in accordance with good industrial hygiene and safety procedures.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures	Comply with applicable regulations.	
Storage conditions	Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.	
Incompatible materials	Strong acids, strong bases, strong oxidizers.	
7.3. Specific end use(s)		
For professional use only.		

SECTION 8: Exposure controls/personal protection

Glass, oxide, chemicals (65997-17-3)		
Belgium	Limit value (mg/m³)	10 mg/m ³ (dust and fiber)
8.2. Exposure controls		
Appropriate engineering con	available in the immediat	ntains and safety showers should be re vicinity of any potential exposure. Ensure pecially in confined areas. Ensure all are observed.
Personal protective equipme	nt Gloves. Protective clothin	g. Protective goggles.
Materials for protective clothi Hand protection Eye protection Skin and body protection	ng Chemically resistant mate Wear protective gloves. Chemical safety goggles. Wear suitable protective	

8.1. Control parameters

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory protection	If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
Thermal hazard protection	Not required for normal conditions of use.
Other information	When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Translucent
Odour	: Odorless
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylaceto	ite=1) : No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative Density	: No data available
Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable
9.2. Other information	
VOC content	< 1 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO₂). Silicon oxides. Will decompose above 150 °C (>300 °F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

Not classified.

12.2. Persistence and degradability	
CV-2680-12 Part A	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
CV-2680-12 Part A	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	

12.6. Other adverse effects

Other information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	Dispose of waste material in accordance with all local, regional,
	national, and international regulations.
Ecology - waste materials	Avoid release to the environment.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
Not regulated for t	ransport			
14.2. UN proper sh	ipping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
16/01/2018	EN	(English)		5/

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.4. Packing grou	p			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmenta	14.5. Environmental hazards			
Dangerous for the environment : No	Dangerous for the environment: No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances VOC content < 1 %

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Section	Section Header	Change	Date Changed
1.3	Details of the supplier of the safety data sheet	Modified	06/09/2016
2	Hazards identification	Removed DSD/DPD information.	06/09/2016
2	Hazards identification	Modified	09/01/2018
3	Composition/information on ingredients	Removed not classified components and components below cutoffs. Removed DSD/DPD information.	06/09/2016
3	Composition/information on ingredients	Modified	09/01/2018
4	First aid measures	Modified	09/01/2018
11	Toxicological information	Modified	09/01/2018
15.1	EU-Regulations	Modified	06/09/2016

Date of Preparation or Latest 16/01/2018 Revision Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Data sources	safety data sh government re manufacturer	nd data obtained and used in the authoring of this eet could come from database subscriptions, official egulatory body websites, product/ingredient or supplier specific information, and/or resources that	
	include substc	nce specific data and classifications according to	
	GHS or their su	bsequent adoption of GHS.	
Other information		Regulation (EC) No. 1907/2006 (REACH) with its	
	•		
		Regulation (EU) 2015/830	
Abbreviations and Acronyms			
ACGIH – American Conference of Governmental Indu	ustrial Hygienists	MARPOL - International Convention for the Prevention of Pollution	
ADN – European Agreement Concerning the Internat		NDS - Najwyzsze Dopuszczalne Stezenie	
Dangerous Goods by Inland Waterways		NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe	
ADR - European Agreement Concerning the Internation	onal Carriage of	NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe	
Dangerous Goods by Road	-	NOAEL - No-Observed Adverse Effect Level	
ATE - Acute Toxicity Estimate		NOEC - No-Observed Effect Concentration	
BCF - Bioconcentration Factor		NRD - Nevirsytinas Ribinis Dydis	
BEI - Biological Exposure Indices (BEI)		NTP – National Toxicology Program	
BOD – Biochemical Oxygen Demand		OEL - Occupational Exposure Limits	
CAS No Chemical Abstracts Service Number		PBT - Persistent, Bioaccumulative and Toxic	
CLP – Classification, Labeling and Packaging Regulat	ion (EC) No	PEL - Permissible Exposure Limit	
1272/2008		pH – Potential Hydrogen	
COD – Chemical Oxygen Demand		REACH – Registration, Evaluation, Authorisation, and Restriction of	
EC - European Community		Chemicals	
EC50 - Median Effective Concentration EEC – European Economic Community		RID – Regulations Concerning the International Carriage of Dangerous	
EINECS – European Inventory of Existing Commercial (Chamical	Goods by Rail SADT - Self Accelerating Decomposition Temperature	
Substances	nemicu	SDS - Safety Data Sheet	
EmS-No. (Fire) - IMDG Emergency Schedule Fire		STEL - Short Term Exposure Limit	
EmS-No. (Spillage) - IMDG Emergency Schedule Spilla	ae	TA-Luft - Technische Anleitung zur Reinhaltung der Luft	
EU – European Union	90	TEL TRK – Technical Guidance Concentrations	
ErC50 - EC50 in Terms of Reduction Growth Rate		ThOD – Theoretical Oxygen Demand	
GHS – Globally Harmonized System of Classification a	nd Labelina of	TLM - Median Tolerance Limit	
Chemicals	0	TLV - Threshold Limit Value	
IARC - International Agency for Research on Cancer		TPRD - Trumpalaikio Poveikio Ribinis Dydis	
IATA - International Air Transport Association		TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von	
IBC Code - International Bulk Chemical Code		Gefahrstoffen in ortsbeweglichen Behältern	
IMDG - International Maritime Dangerous Goods		TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine	
IPRV - Ilgalaikio Poveikio Ribinis Dydis		TRGS 900 - Technische Regel für Gefahrstoffe 900 –	
IOELV – Indicative Occupational Exposure Limit Value		Arbeitsplatzgrenzwerte	
LC50 - Median Lethal Concentration		TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische	
LD50 - Median Lethal Dose		Grenzwerte	
LOAEL - Lowest Observed Adverse Effect Level		TSCA - Toxic Substances Control Act	
LOEC - Lowest-Observed-Effect Concentration		TWA - Time Weighted Average	
Log Koc - Soil Organic Carbon-water Partitioning Coe	fficient	VOC – Volatile Organic Compounds	
Log Kow - Octanol/water Partition Coefficient Log Pow - Ratio of the equilibrium concentration (C) of	of a dissolved	VLA-EC - Valor Límite Ambiental Exposición de Corta Duración VLA-ED - Valor Límite Ambiental Exposición Diaria	
substance in a two-phase system consisting of two lar		VLA-ED - Valor Limite Ambiental exposicion Diana VLE – Valeur Limite D'exposition	
solvents, in this case octanol and water		VME – Valeur Limite De Moyenne Exposition	
MAK – Maximum Workplace Concentration/Maximun	n Permissible	vPvB - Very Persistent and Very Bioaccumulative	
Concentration		WEL – Workplace Exposure Limit	
		WGK - Wassergefährdungsklasse	

Nusil EU GHS SDS

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLYDISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

Safety Data Sheet



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: Date of issue: 16/01/2018 13/12/2013

Version: 5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product Name Synonyms Mixture CV-2680-12 Part B Silicone Primer

1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1.Relevant identified uses

Use of the substance/mixture For professional use only

1.2.2.Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780 <u>ehs@nusil.com</u> www.nusil.com

1.4. Emergency telephone number

Emergency : 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and Maritime)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Skin Irrit. 2 H315 Eye Dam. 1 H318 Asp. Tox. 1 H304 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS05 Signal word (CLP) Danger Hazardous ingredients 1-Butanol, titanium(4+) salt; Platinum Catalyst; Solvent naphtha, petroleum, light aliphatic Hazard statements (CLP) H225 - Highly flammable liquid and vapour.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	H304 - May be fatal if swallowed and enters airways. H315 - Causes skin irritation.
	H313 - Causes serious eye damage.
Precautionary statements	P210 - Keep away from heat, hot surfaces, sparks, open flames
(CLP)	and other ignition sources. No smoking.
	P233 - Keep container tightly closed.
	P240 - Ground and bond container and receiving equipment.
	P241 - Use explosion-proof electrical, ventilating, and lighting
	equipment.
	P242 - Use non-sparking tools.
	P243 - Take action to prevent static discharges.
	P264 - Wash hands, forearms, and other exposed areas
	thoroughly after handling
	P280 - Wear protective gloves, protective clothing, eye
	protection, and face protection
	P301+P310 - IF SWALLOWED: Immediately call a POISON
	CENTER or doctor
	P302+P352 - IF ON SKIN: Wash with plenty of water
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all
	contaminated clothing. Rinse skin with water.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for
	several minutes. Remove contact lenses, if present and easy
	to do. Continue rinsing.
	P310 - Immediately call a POISON CENTER or doctor
	P321 - Specific treatment (see section 4 on this SDS)
	P331 - Do NOT induce vomiting.
	P332+P313 - If skin irritation occurs: Get medical
	advice/attention.
	P362+P364 - Take off contaminated clothing and wash it
	before reuse.
	P370+P378 - In case of fire: Use appropriate media (see section 5) to extinguish
	P403+P235 - Store in a well-ventilated place. Keep cool.
	P405 - Store locked up.
	P501 - Dispose of contents/container to hazardous or special
	waste collection point, in accordance with local, regional,
	national and/or international regulation.
2.3. Other Hazards	
Other hazards not contributing	Exposure may aggravate pre-existing eye, skin, or respiratory
to the classification	conditions.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Solvent naphtha, petroleum, light aliphatic	(CAS-No.) 64742-89-8 (EC-No.) 265-192-2 (EC Index-No.) 649-267-00-0	75 - 80	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Asp. Tox. 1, H304
Platinum Catalyst	(CAS-No.) 68478-92-2	5 - 10	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
1-Butanol, titanium(4+) salt	(CAS-No.) 5593-70-4 (EC-No.) 227-006-8	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H336 STOT SE 3, H335

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

4.1. Description of first did me	
First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after	When symptoms occur: go into open air and ventilate
inhalation	suspected area. Obtain medical attention if breathing difficulty persists.
First-aid measures after skin	Remove contaminated clothing. Drench affected area with
contact	water for at least 15 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye	Rinse cautiously with water for at least 30 minutes. Remove
contact	contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after	Do NOT induce vomiting. Rinse mouth. Immediately call a
ingestion	POISON CENTER or doctor/physician.
-	is and effects, both acute and delayed
Symptoms/effects	Causes skin irritation. Causes serious eye damage. May be
	fatal if swallowed and enters airways.
Symptoms/effects after	Prolonged exposure may cause irritation.
inhalation	
Symptoms/effects after skin contact	Redness, pain, swelling, itching, burning, dryness, and dermatitis.
Symptoms/effects after eye	Causes permanent damage to the cornea, iris, or conjunctiva.
contact	
Symptoms/effects after	Aspiration into the lungs can occur during ingestion or
ingestion	vomiting and may cause lung injury.
Chronic symptoms	None expected under normal conditions of use.
-	iate medical attention and special treatment needed
If exposed or concerned, aet m	edical advice and attention. If medical advice is needed, have

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1. Eximguishing media	
Suitable extinguishing media	Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO ₂). Water may be ineffective but water should be used to keep fire-exposed container cool.
Unsuitable extinguishing media	Do not use a heavy water stream. A heavy water stream may spread burning liquid.
5.2. Special hazards arising	from the substance or mixture
Fire hazard	Highly flammable liquid and vapour.
Explosion hazard	May form flammable or explosive vapour-air mixture.
Reactivity	Reacts violently with strong oxidisers. Increased risk of fire or explosion.
5.3. Advice for firefighters	
Precautionary measures fire Firefighting instructions	Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	Do not get in eyes, on skin, or on clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition
	sources. No smoking. Use special care to avoid static electric
	charges. Do not breathe vapor, mist or spray.
6.1.1. For non-emergency	y personnel
Protective equipment	Use appropriate personal protective equipment (PPE).
Emergency procedures	Evacuate unnecessary personnel. Stop leak if safe to do so.
6.1.2. For emergency resp	oonders
Protective equipment	Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area. Eliminate ignition sources. Upon arrival at the
	scene, a first responder is expected to recognize the presence
	of dangerous goods, protect oneself and the public, secure
	the area, and call for the assistance of trained personnel as
	soon as conditions permit.
6.2. Environmental precaution	
, , , , , , , , , , , , , , , , , , , ,	c waters. Avoid release to the environment.
6.3. Methods and material for	containment and cleaning up
For containment	Contain any spills with dikes or absorbents to prevent

Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions. Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Methods for cleaning up	Absorb and/or contain spill with inert material. Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-sparking tools. Contact competent authorities after a spill.

6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Take precautionary measures against static discharge. Use only non-sparking tools. Do not get in eyes, on skin, or on clothing.
Hygiene measures	Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for safe storage	ge, including any incompatibilities
Technical measures	Comply with applicable regulations. Take action to prevent static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment.
Storage conditions	Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place.
Incompatible materials	Strong acids, strong bases, strong oxidizers.
7.3. Specific end use(s)	
For professional use only	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering	Emergency eye wash fountains and safety showers should be
controls	available in the immediate vicinity of any potential exposure.
	Ensure adequate ventilation, especially in confined areas. Gas
	detectors should be used when flammable gases or vapors
	may be released. Proper grounding procedures to avoid
	static electricity should be followed. Use explosion-proof
	equipment. Ensure all national/local regulations are observed.

CV-2680-12 Part B Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amenda	ment Regulation (EU) 2015/830
Personal protective equipment	Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.
Materials for protective clothing	Chemically resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.
Hand protection	Wear protective gloves.
Eye protection Skin and body protection	Chemical safety goggles. Wear suitable protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
Thermal hazard protection	Wear thermally resistant protective clothing.
Other information	When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless
Odour	: Solvent
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate	: No data available
(butylacetate=1)	
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 99 °C (210,2 °F)
Flash point	: 17 °C (62,6 °F)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative Density	: No data available
Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable
9.2. Other information	

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts violently with strong oxidisers. Increased risk of fire or explosion.

10.2. Chemical stability

Extremely flammable liquid and vapour. May form flammable or explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO₂). Silicon oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Not classified

Based on available data, the classification criteria are not met

1-Butanol, titanium(4+) salt (5593-70-4)		
LD50 oral rat	> 2000 mg/kg	
LD50 oral	3122 mg/kg	
Solvent naphtha, petroleum, lig	ht aliphatic (64742-89-8)	
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	3000 mg/kg	
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/irritation	Causes serious eye damage.	
Respiratory or skin sensitisation	Not classified	
Germ cell mutagenicity	Not classified	
Carcinogenicity	Not classified	
Reproductive toxicity	Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	May be fatal if swallowed and enters airways.	
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met.	

SECTION 12: Ecological information

12.1.Toxicity Ecology - general Ecology - water	Harmful to aquatic life. Harmful to aquatic life.	
1-Butanol, titanium(4+) sal		
EC50 Daphnia 1	680 mg/l	

Safety Data Sheet 06 (PEACH) with its amor

according to Regulation (EC) No. 1907/2006 (REACH) with its amendn	ient Regulation (EU) 2015/830	
12.2. Persistence and degrad	Jability	
CV-2680-12 Part B		
Persistence and degradability Not established.		
12.3. Bioaccumulative potential		
CV-2680-12 Part B		
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		
No additional information avai	lable	
12.5. Results of PBT and vPvB		
No additional information avai	lable	
12.6. Other adverse effects		
Other information	Avoid release to the environment.	
SECTION 13: Disposal considerations		

IS: DISP osal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations Additional information	Dispose of contents/container in accordance with local, regional, national, and international regulations. Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1268	1268	1268	1268	1268
14.2. UN proper ship	oping name			
PETROLEUM	PETROLEUM	Petroleum	PETROLEUM	PETROLEUM
DISTILLATES, N.O.S.	DISTILLATES, N.O.S.	distillates, n.o.s.	DISTILLATES, N.O.S.	DISTILLATES, N.O.S.
14.3. Transport hazo	ard class(es)			
3	3	3	3	3
				3
14.4. Packing group)			
	II			I
14.5. Environmenta	hazards			
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment: No Marine pollutant : No	environment : No	environment : No	environment : No

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Section	Section Header	Change	Date Changed
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified. Removed DSD/DPD information.	05/01/2018
3	Composition/information on ingredients	Removed not classified components and components below cutoffs. Removed DSD/DPD information.	29/06/2015
14	Transport information	Modified	05/01/2018
15.1.1	EU-Regulations	Modified	29/06/2015

Date of Preparation or Latest 16/01/2018 Revision

Data sourcesInformation and data obtained and used in the authoring of
this safety data sheet could come from database
subscriptions, official government regulatory body websites,
product/ingredient manufacturer or supplier specific
information, and/or resources that include substance specific
data and classifications according to GHS or their subsequent
adoption of GHS.Other informationAccording to Regulation (EC) No. 1907/2006 (REACH) with its
amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:

Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

Abbreviations and Acronyms

ACGIH - American Conference of Governmental Industrial Hygienists ADN - European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road ATE - Acute Toxicity Estimate BCF - Bioconcentration Factor **BEI - Biological Exposure Indices (BEI)** BOD – Biochemical Oxygen Demand CAS No. - Chemical Abstracts Service Number CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008 COD - Chemical Oxygen Demand EC – European Community EC50 - Median Effective Concentration EEC - European Economic Community EINECS - European Inventory of Existing Commercial Chemical Substances EmS-No. (Fire) - IMDG Emergency Schedule Fire EmS-No. (Spillage) - IMDG Emergency Schedule Spillage EU – European Union ErC50 - EC50 in Terms of Reduction Growth Rate GHS - Globally Harmonized System of Classification and Labeling of Chemicals IARC - International Agency for Research on Cancer IATA - International Air Transport Association IBC Code - International Bulk Chemical Code IMDG - International Maritime Dangerous Goods IPRV - Ilgalaikio Poveikio Ribinis Dydis IOELV - Indicative Occupational Exposure Limit Value LC50 - Median Lethal Concentration 1D50 - Median Lethal Dose LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration Log Koc - Soil Organic Carbon-water Partitioning Coefficient Log Kow - Octanol/water Partition Coefficient Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water MAK - Maximum Workplace Concentration/Maximum Permissible Concentration

MARPOL - International Convention for the Prevention of Pollution NDS - Naiwyzsze Dopuszczalne Stezenie NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration NRD - Nevirsytinas Ribinis Dydis NTP - National Toxicology Program **OEL - Occupational Exposure Limits** PBT - Persistent, Bioaccumulative and Toxic PEL - Permissible Exposure Limit pH - Potential Hydrogen REACH - Registration, Evaluation, Authorisation, and Restriction of Chemicals RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail SADT - Self Accelerating Decomposition Temperature SDS - Safety Data Sheet STEL - Short Term Exposure Limit TA-Luft - Technische Anleitung zur Reinhaltung der Luft TEL TRK – Technical Guidance Concentrations ThOD - Theoretical Oxygen Demand TLM - Median Tolerance Limit TLV - Threshold Limit Value TPRD - Trumpalaikio Poveikio Ribinis Dydis TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in ortsbeweglichen Behältern TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine TRGS 900 - Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC - Volatile Organic Compounds VLA-EC - Valor Límite Ambiental Exposición de Corta Duración VLA-ED - Valor Límite Ambiental Exposición Diaria VLE - Valeur Limite D'exposition VME - Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative WEL – Workplace Exposure Limit WGK - Wassergefährdungsklasse

Nusil EU GHS SDS

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLYDISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product combination

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.



Silicone Sales & Services UK - Ireland - Benelux

© 2020 - Polymer Systems Technology Limited™ Unit 2. Network 4. Cressex Business Park, Lincoln Road, High Wycombe, Bucks. HP12 3RF

tel: +44 (0) 1494 446610

web: https://www.silicone-polymers.com

email: sales@silicone-polymers.co.uk

